

Vertex S

BACKSHEET MONOCRYSTALLINE MODULE

PRODUCT: TSM-DE09R.08
 PRODUCT RANGE: 415-435W

435W

MAXIMUM POWER OUTPUT

0~+5W

POSITIVE POWER TOLERANCE

21.8%

MAXIMUM EFFICIENCY



Small in size, big on power

- Small form factor. Generate a huge amount of energy even in limited space.
- Up to 435W, 21.8% module efficiency with high density interconnect technology
- Multi-busbar technology for better light trapping effect, lower series resistance and improved current collection
- Reduce installation cost with higher power bin and efficiency
- Boost performance in warm weather lower temperature coefficient (-0.34%) and operating temperature



Universal solution for residential and C&I rooftops


- Designed for compatibility with existing mainstream optimizers, inverters and mounting systems
- Perfect size and low weight. Easy for handling. Economy for transporting
- Diverse installation solutions. Flexible for system deployment



High Reliability

- 15 year product warranty
- 25 year performance warranty with lowest degradation;
- Minimized micro-cracks with innovative non-destructive cutting technology
- Ensured PID resistance through cell process and module material control
- Mechanical performance up to 6000 Pa positive load and 4000 Pa negative load

Trina Solar's Backsheet Performance Warranty



Comprehensive Products and System Certificates



IEC61215/IEC61730/IEC61701/IEC62716

ISO 9001: Quality Management System




ISO 14001: Environmental Management System

ISO14064: Greenhouse Gases Emissions Verification

ISO45001: Occupational Health and Safety Management System



DIMENSIONS OF PV MODULE(mm)



ELECTRICAL DATA (STC)

Parameter	415	420	425	430	435
Peak Power Watts-P _{MAX} (Wp)*	415	420	425	430	435
Power Tolerance-P _{MAX} (W)			0 ~ +5		
Maximum Power Voltage-V _{MPP} (V)	41.7	42.0	42.2	42.3	42.5
Maximum Power Current-I _{MPP} (A)	9.94	10.01	10.08	10.17	10.24
Open Circuit Voltage-V _{OC} (V)	50.0	50.1	50.2	50.3	50.4
Short Circuit Current-I _{SC} (A)	10.55	10.58	10.61	10.64	10.67
Module Efficiency η _m (%)	20.8	21.0	21.3	21.5	21.8

STC: Irradiance 1000W/m², Cell Temperature 25°C, Air Mass AM1.5. *Measuring tolerance: ±3%.

ELECTRICAL DATA (NOCT)

Parameter	312	317	321	325	329
Maximum Power-P _{MAX} (Wp)	312	317	321	325	329
Maximum Power Voltage-V _{MPP} (V)	38.7	39.2	39.5	39.7	40.0
Maximum Power Current-I _{MPP} (A)	8.07	8.10	8.13	8.17	8.23
Open Circuit Voltage-V _{OC} (V)	47.1	47.1	47.2	47.4	47.5
Short Circuit Current-I _{SC} (A)	8.50	8.53	8.55	8.60	8.65

NOCT: Irradiance at 800W/m², Ambient Temperature 20°C, Wind Speed 1m/s.

MECHANICAL DATA

Solar Cells	Monocrystalline
No. of cells	144 cells
Module Dimensions	1762×1134×30 mm (69.37×44.65×1.18 inches)
Weight	21.8 kg (48.1 lb)
Glass	3.2 mm (0.13 inches), High Transmission, AR Coated Heat Strengthened Glass
Encapsulant material	EVA/POE
Backsheet	White
Frame	30mm(1.18 inches) Anodized Aluminium Alloy
J-Box	IP 68 rated
Cables	Photovoltaic Technology Cable 4.0mm ² (0.006 inches ²), Portrait: 350/280 mm(13.78/11.02 inches) Length can be customized
Connector	MC4 EV02 / TS4*

*Please refer to regional datasheet for specified connector.

TEMPERATURE RATINGS

NOCT (Nominal Operating Cell Temperature)	43°C (±2°C)
Temperature Coefficient of P _{MAX}	-0.34%/°C
Temperature Coefficient of V _{OC}	-0.25%/°C
Temperature Coefficient of I _{SC}	0.04%/°C

MAXIMUM RATINGS

Operational Temperature	-40~+85°C
Maximum System Voltage	1500V DC (IEC)
Max Series Fuse Rating	20A

WARRANTY

- 15 year Product Workmanship Warranty
- 25 year Power Warranty
- 2% first year degradation
- 0.55% Annual Power Attenuation

(Please refer to product warranty for details)

PACKAGING CONFIGURATION

- Modules per box: 36 pieces
- Modules per 40' container: 936 pieces

445 W


MAXIMUM POWER OUTPUT

0/+5 W

POSITIVE POWER TOLERANCE

22.3 %

MAXIMUM EFFICIENCY



Small in size, bigger on power

- Generates up to 445 W, 22.3 % module efficiency with high density interconnect technology
- Multi-busbar technology for better light trapping, lower series resistance, improved current collection and enhanced reliability
- Reduces installation cost with higher power bin and efficiency



Dual-glass Design, High Reliability

- Excellent fire rating and resistance to harsh environmental conditions
- 5,400 Pa snow load and 4,000 Pa wind load (test loads)



Maximize Energy Harvest

- Up to 25 years product warranty and 30 years power warranty
- 1 % first-year degradation and 0.4 % annual degradation enabled by N-type technology



Universal solution for residential and C&I rooftops


- Designed for compatibility with existing mainstream inverters, optimizers and mounting systems
- Perfect size and low weight for easy handling. Optimized transportation cost
- Flexible installation solutions for system deployment

Extended Vertex S+ Warranty

1 %
1st year max. degradation

0.4 %
Max. annual degradation from year 2 to 30

25 Years
Product Workmanship Warranty






Comprehensive Products and System Certificates



ISO 9001: Quality Management System
 ISO 14001: Environmental Management System
 ISO14064: Greenhouse Gases Emissions Verification
 ISO45001: Occupational Health and Safety Management System



DIMENSIONS OF PV MODULE (mm)

I-V CURVES OF PV MODULE (435 W)

P-V CURVES OF PV MODULE (435 W)

ELECTRICAL DATA (STC)

	TSM-425 NEG9R.2B	TSM-430 NEG9R.2B	TSM-435 NEG9R.2B	TSM-440 NEG9R.2B	TSM-445 NEG9R.2B
Peak Power Watts-P _{MAX} (Wp)*	425	430	435	440	445
Power Tolerance-P _{MAX} (W)			0/+5		
Maximum Power Voltage-V _{MPP} (V)	42.9	43.2	43.6	44.0	44.3
Maximum Power Current-I _{MPP} (A)	9.92	9.96	9.99	10.01	10.05
Open Circuit Voltage-V _{OC} (V)	50.9	51.4	51.8	52.2	52.6
Short Circuit Current-I _{SC} (A)	10.56	10.59	10.64	10.67	10.71
Module Efficiency η_m (%)	21.3	21.5	21.8	22.0	22.3

STC: Irradiance 1000 W/m², Cell Temperature 25 °C, Air Mass AM 1.5. *Measuring tolerance: ±3%.

ELECTRICAL DATA (NOCT)

	TSM-425 NEG9R.2B	TSM-430 NEG9R.2B	TSM-435 NEG9R.2B	TSM-440 NEG9R.2B	TSM-445 NEG9R.2B
Maximum Power-P _{MAX} (Wp)	324	328	332	335	339
Maximum Power Voltage-V _{MPP} (V)	40.0	40.4	40.7	41.0	41.3
Maximum Power Current-I _{MPP} (A)	8.09	8.11	8.15	8.17	8.20
Open Circuit Voltage-V _{OC} (V)	48.2	48.7	49.1	49.4	49.8
Short Circuit Current-I _{SC} (A)	8.51	8.53	8.57	8.60	8.63

NOCT: Irradiance at 800 W/m², Ambient Temperature 20 °C, Wind Speed 1 m/s.

MECHANICAL DATA

Solar Cells	Monocrystalline
No. of cells	144 cells
Module Dimensions	1762×1134×30 mm
Weight	21.1 kg
Front Glass	1.6 mm, High Transmission, AR Coated Heat Strengthened Glass
Encapsulant material	EVA/POE
Back Glass	1.6 mm, Heat Strengthened Glass
Frame	30 mm Anodized Aluminium Alloy, Black
J-Box	IP 68 rated
Cables	Photovoltaic Technology Cable 4.0 mm ² Landscape: 1100/1100 mm Portrait: 280/350 mm*
Connector	TS4 / MC4 EVO2*

*Special order only

TEMPERATURE RATINGS

NOCT (Nominal Operating Cell Temperature)	43 °C (±2 K)
Temperature Coefficient of P _{MAX}	-0.30 %/K
Temperature Coefficient of V _{OC}	-0.24 %/K
Temperature Coefficient of I _{SC}	0.04 %/K

MAXIMUM RATINGS

Operational Temperature	-40 to +85 °C
Maximum System Voltage	1500 V DC (IEC)
Max Series Fuse Rating	20 A

WARRANTY

- 25 year Product Workmanship Warranty
- 30 year Power Warranty
- 1 % first year degradation
- 0.4 % Annual Power Attenuation

(Please refer to product warranty for details)

PACKAGING CONFIGURATION

Modules per box:	36 pieces
Modules per 40' container:	936 pieces

Vertex S⁺

BIFACIAL DUAL GLASS MONOCRYSTALLINE MODULE

PRODUCT: TSM-NEG9RC.27

POWER RANGE: 415-445W

445W

MAXIMUM POWER OUTPUT

0~+5W

POSITIVE POWER TOLERANCE

22.3%

MAXIMUM EFFICIENCY



Small in size, bigger on power

- Up to 445W, 22.3% module efficiency with high density interconnect technology
- Reduce installation cost with higher power bin and efficiency
- Boost performance in warm weather with low temperature coefficient and operating temperature



Transparent Dual-glass Design

- Transparent design with aesthetics appearance, 3.2% transparency
- Upgraded dual glass of Vertex S, less prone to micro-cracks and scratches on the back during installation
- Excellent fire rating, weather resistance, salt spray, sand dust, ammonia performance which is fully applicable in coastal, high temperature, humidity area and harsh environment




Ultra-low Degradation, longer warranty, higher output

- First-year degradation 1% and annual degradation at 0.4%
- Up to 25 years product warranty and 30 years power warranty




Universal solution for residential and C&I rooftops

- Easy for integration, designed for compatibility with existing mainstream inverters and diverse mounting systems
- Perfect size and low weight for handling and installation
- Most valuable solution on low load capacity rooftops (weight similar to backsheet version)
- Mechanical performance up to 5400 Pa positive load and 4000 Pa negative load



Trina Solar's Vertex Bifacial Dual Glass Performance Warranty




Comprehensive Products and System Certificates




IEC61215/IEC61730/IEC61701/IEC62716/UL61730
 ISO 9001: Quality Management System
 ISO 14001: Environmental Management System
 ISO14064: Greenhouse Gases Emissions Verification
 ISO45001: Occupational Health and Safety Management System




DIMENSIONS OF PV MODULE(mm)



I-V CURVES OF PV MODULE(430W)



P-V CURVES OF PV MODULE(430W)



ELECTRICAL DATA (STC)

Peak Power Watts- P_{MAX} (Wp)*	415	420	425	430	435	440	445
Power Tolerance- P_{MAX} (W)	0 ~ +5						
Maximum Power Voltage- V_{MPP} (V)	42.1	42.5	42.9	43.2	43.6	44.0	44.3
Maximum Power Current- I_{MPP} (A)	9.86	9.89	9.92	9.96	9.99	10.01	10.05
Open Circuit Voltage- V_{OC} (V)	50.1	50.5	50.9	51.4	51.8	52.2	52.6
Short Circuit Current- I_{SC} (A)	10.50	10.53	10.56	10.59	10.64	10.67	10.71
Module Efficiency η_m (%)	20.8	21.0	21.3	21.5	21.8	22.0	22.3

STC: Irradiance 1000W/m², Cell Temperature 25°C, Air Mass AM1.5. *Measuring tolerance: ±3%.

Electrical characteristics with different power bin (reference to 10% Irradiance ratio)

Total Equivalent power - P_{MAX} (Wp)	448	454	459	464	470	475	480
Maximum Power Voltage- V_{MPP} (V)	42.1	42.5	42.9	43.2	43.6	44.0	44.3
Maximum Power Current- I_{MPP} (A)	10.65	10.68	10.71	10.76	10.79	10.81	10.85
Open Circuit Voltage- V_{OC} (V)	50.1	50.5	50.9	51.4	51.8	52.2	52.6
Short Circuit Current- I_{SC} (A)	11.34	11.37	11.40	11.44	11.49	11.52	11.57
Irradiance ratio (rear/front)	10%						

Power Bifaciality: 80±5%.

ELECTRICAL DATA (NOCT)

Maximum Power- P_{MAX} (Wp)	316	320	324	328	332	335	338
Maximum Power Voltage- V_{MPP} (V)	39.3	39.7	40.0	40.4	40.7	41.0	41.3
Maximum Power Current- I_{MPP} (A)	8.03	8.07	8.09	8.11	8.15	8.17	8.20
Open Circuit Voltage- V_{OC} (V)	47.5	47.8	48.2	48.7	49.1	49.4	49.8
Short Circuit Current- I_{SC} (A)	8.46	8.49	8.51	8.53	8.57	8.60	8.63

NOCT: Irradiance at 800W/m², Ambient Temperature 20°C, Wind Speed 1m/s.

MECHANICAL DATA

Solar Cells	Monocrystalline
No. of cells	144cells
Module Dimensions	1762×1134×30 mm (69.06×43.15×1.18 inches)
Weight	21.0kg (46.30 lb)
Front Glass	1.6 mm (0.06 inches), High Transmission, AR Coated Heat Strengthened Glass
Encapsulant material	POE/EVA
Back Glass	1.6 mm (0.06 inches), High Transmission, Heat Strengthened Glass
Frame	30mm (1.18 inches) Anodized Aluminium Alloy, Black
J-Box	IP 68 rated
Cables	Photovoltaic Technology Cable 4.0mm ² (0.006 inches ²) Portrait: 350/280 mm (13.78/11.02 inches) Length can be customized
Connector	MC4 EVO2 / TS4 PLUS / TS4*

*Please refer to regional datasheet for specified connector.

TEMPERATURE RATINGS

NOCT (Nominal Operating Cell Temperature)	43°C (±2°C)
Temperature Coefficient of P_{MAX}	-0.30%/°C
Temperature Coefficient of V_{OC}	-0.24%/°C
Temperature Coefficient of I_{SC}	0.04%/°C

MAXIMUM RATINGS

Operational Temperature	-40~+85°C
Maximum System Voltage	1500V DC (IEC)
Max Series Fuse Rating	25A

WARRANTY

- 15 year Product Workmanship Warranty
- 30 year Power Warranty
- 1% first year degradation
- 0.4% Annual Power Attenuation

(Please refer to product warranty for details)

PACKAGING CONFIGURATION

- Modules per box: 36 pieces
- Modules per 40' container: 936 pieces



**GLOBAL LIMITED WARRANTY FOR TRINA SOLAR BRAND
CRYSTALLINE SOLAR PHOTOVOLTAIC MODULES**

Table of Contents

1) Warranted Products.....	1
2) Rules of use and application for Products listed under Sec. 1)	4
3) Warranty	5
4) Warranty Start Date	8
5) Exclusions and Limitations	8
6) Repair, Replacement or Refund Remedy	9
7) Rights and Remedies against Third Parties.....	10
8) Claims Procedure, Notice Periods, Expiration of Global Limited Warranty Claims and Limitations.....	11
9) Force Majeure.....	12
10) Warranty Assignment	12
11) Validity.....	12
12) Geographical Validity.....	12
13) No Other Express Warranty.....	12
14) Miscellaneous	12
15) Limitation of Liability.....	13
16) Applicable Law and Jurisdiction	13
17) Note	13

Contents of this document are subject to change without notice.

For the latest document please refer to Trina Solar official website: www.trinasolar.com.

PS-M-0135 Rev. T Copyright © September, 2022. Trina Solar Co., Ltd.

Global Limited Warranty

Trina Solar Co., Ltd (“Trina Solar”) hereby grants the following Global Limited Warranty to the first customer installing (for its own use) (the “Buyer”) any of the specified (and no other) brand models of solar photovoltaic modules of Trina Solar listed below and remaining at the original place of installation without having them moved or disassembled after initial installation (the “Products”):

1) Warranted Products

This Global Limited Warranty shall only apply to the following Products:

a) P-type Poly of Back Sheet Products

(i)

TSM-***PA03	TSM-***PA05	TSM-***PA05.05	TSM-***PA05.08	TSM-***PA05A
TSM-***PA05A.05	TSM-***PA05A.08	TSM-***PA14	TSM-***PA14A	TSM-***PA05.002
TSM-***PA05.052	TSM-***PA05.082	TSM-***PC03	TSM-***PC05	TSM-***PC05.01
TSM-***PC05.05	TSM-***PC05.08	TSM-***PC05A	TSM-***PC05A.05	TSM-***PC05A.08
TSM-***PC05B	TSM-***PC05B.05	TSM-***PC05B.08	TSM-***PC14	TSM-***PC14.08
TSM-***PC14A	TSM-***PC05A.002	TSM-***PC05A.052	TSM-***PC05A.082	TSM-***PC05A.003
TSM-***PC14.002	TSM-***PC14.082	TSM-***PC06	TSM-***PC06.08	TSM-***PC05A.08(II)
TSM-***PC14(II)	TSM-***PC14.08(II)	TSM-***PC05A.002(II)	TSM-***PC05A.052(II)	TSM-***PC05A.082(II)
TSM-***PC14.002(II)	TSM-***PC14.082(II)	TSM-***PD05	TSM-***PD05.05	TSM-***PD05.08
TSM-***PD05.50	TSM-***PD05.002	TSM-***PD05.052	TSM-***PD05.082	TSM-***PD14
TSM-***PD14.08	TSM-***PD14.002	TSM-***PD05(II)	TSM-***PD05.05(II)	TSM-***PD05.08(II)
TSM-***PD14(II)	TSM-***PD14.08(II)	TSM-***PD05.00S	TSM-***PD05.05S	TSM-***PD05.08S
TSM-***PD05.05U	TSM-***PD05.08U	TSM-***PD05.00C	TSM-***PD05.05C	TSM-***PD05.08C
TSM-***PD05.00D	TSM-***PD05.05D	TSM-***PD05.08D	TSM-***PD14.00C	TSM-***PE05A
TSM-***PE05A.08	TSM-***PE14A	TSM-***PE14A.08	TSM-***PE05A(II)	TSM-***PE05A.08(II)
TSM-***PE14A(II)	TSM-***PE14A.08(II)	TSM-***PE05H	TSM-***PE05H.08	TSM-***PE14H
TSM-***PE14H.08	TSM-***PD05H	TSM-***PD14H	TSM-***PD05HB.09	TSM-***PE15H
TSM-***PE15H.08	TSM-***PE15H.09	TSM-***PE06H	TSM-***PE06H.08	TSM-***PE06H.09
TSM-***PE15A	TSM-***PE15A.08	TSM-***PE15A.09	TSM-***PE06A	TSM-***PE06A.08
TSM-***PE06A.09	TSM-***PD06H	TSM-***PD06H.05	TSM-***PD06H.08	TSM-***PD06H.09
TSM-***PD15H	TSM-***PD15H.08	TSM-***PD15H.09	TSM-***PC06A	

(ii)

TSM-***PA05.10	TSM-***PA05.15	TSM-***PA05.18	TSM-***PA05A.10	TSM-***PA05A.15
TSM-***PA05A.18	TSM-***PC05.10	TSM-***PC05.15	TSM-***PC05.18	TSM-***PC05A.10
TSM-***PC05A.15	TSM-***PC05A.18	TSM-***PC05A.10(II)	TSM-***PC05A.15(II)	TSM-***PC05A.18 (II)
TSM-***PD05.T0	TSM-***PD05.T8	TSM-***PD05.10	TSM-***PD05.15	TSM-***PD05.18
TSM-***PD14.T0	TSM-***PD14.T8	TSM-***PD14.10	TSM-***PD14.15	TSM-***PD14.18
TSM-***PD05.T0(II)	TSM-***PD05.T8(II)	TSM-***PD14.T0(II)	TSM-***PD14.T8(II)	TSM-***PE05A.T0
TSM-***PE05A.T8	TSM-***PE05A.T9	TSM-***PE14A.T0	TSM-***PE14A.T8	TSM-***PE14A.T9
TSM-***PE14B.T0	TSM-***PE14B.T8	TSM-***PE14B.T9	TSM-***PE14B.T0(II)	TSM-***PE14B.T8(II)
TSM-***PE14B.T9(II)	TSM-***PE14HB.T0	TSM-***PE14HB.T8	TSM-***PE14HB.T9	TSM-***PE14HB.T0(II)
TSM-***PE14HB.T8(II)	TSM-***PE14HB.T9(II)	TSM-***PE05A.T0(II)	TSM-***PE05A.T8(II)	TSM-***PE05A.T9(II)
TSM-***PE14A.T0(II)	TSM-***PE14A.T8(II)	TSM-***PE14A.T9(II)	TSM-***PE05H.T0	TSM-***PE05H.T8
TSM-***PE05H.T9	TSM-***PE05H.T0(II)	TSM-***PE05H.T8(II)	TSM-***PE05H.T9(II)	TSM-***PE14H.T0
TSM-***PE14H.T8	TSM-***PD05H.T0	TSM-***PD05H.T8	TSM-***PD14H.T0	TSM-***PD14H.T8
TSM-***PD05HB.T9	TSM-***PE15H.T0	TSM-***PE15H.T8	TSM-***PE15H.T9	TSM-***PE06H.T0
TSM-***PE06H.T8	TSM-***PE06H.T9	TSM-***PE06H.T0(II)	TSM-***PE06H.T8(II)	TSM-***PE06H.T9(II)
TSM-***PE15A.T0	TSM-***PE15A.T8	TSM-***PE15A.T9	TSM-***PE06A.T0	TSM-***PE06A.T0
TSM-***PE06A.T8	TSM-***PE06A.T9	TSM-***PD06H.T0	TSM-***PD06H.T8	TSM-***PD06H.T9
TSM-***PD15H.T0	TSM-***PD15H.T8	TSM-***PD15H.T9		

b) P-type Mono PERC of Back Sheet Products

(i)

TSM-***DA01	TSM-***DA01.05	TSM-***DA01A	TSM-***DA01A.05	TSM-***DA01A.08
TSM-***DA03	TSM-***DA05	TSM-***DA01A.002	TSM-***DA01A.052	TSM-***DA01A.082
TSM-***DC01	TSM-***DC01.01	TSM-***DC01.05	TSM-***DC01A	TSM-***DC01A.05
TSM-***DC01A.08	TSM-***DC03	TSM-***DC05	TSM-***DC80	TSM-***DC80.08
TSM-***DC01A.002	TSM-***DC01A.052	TSM-***DC01A.082	TSM-***DC05A	TSM-***DC05A.05
TSM-***DC05A.08	TSM-***DC05A.002	TSM-***DC05A.052	TSM-***DC05A.082	TSM-***DC06
TSM-***DC06.08	TSM-***DC03A(II)	TSM-***DC03A.05(II)	TSM-***DC03A.08(II)	TSM-***DC05A(II)
TSM-***DC05A.05(II)	TSM-***DC05A.08(II)	TSM-***DC05A.002(II)	TSM-***DC05A.052(II)	TSM-***DC05A.082(II)
TSM-***DC06.08(II)	TSM-***DD05A(II)	TSM-***DD05A.05(II)	TSM-***DD05A.08(II)	TSM-***DD14A(II)
TSM-***DD14A.08(II)	TSM-***DD05A.052(II)	TSM-***DD05A.082(II)	TSM-***DD05A.05S(II)	TSM-***DD05A.08S(II)
TSM-***DD05A.05U(II)	TSM-***DD05A.08U(II)	TSM-***DE05A(II)	TSM-***DE05A.08(II)	TSM-***DE14A(II)
TSM-***DE14A.08(II)	TSM-***DE05H(II)	TSM-***DE05H.08(II)	TSM-***DE14H(II)	TSM-***DE14H.08(II)
TSM-***DD05H(II)	TSM-***DD14H(II)	TSM-***DE06H(II)	TSM-***DE06H.08(II)	TSM-***DE06H.09(II)
TSM-***DE06M(II)	TSM-***DE06M.09(II)	TSM-***DE15H(II)	TSM-***DE15H.08(II)	TSM-***DE15H.09(II)
TSM-***DE15M(II)	TSM-***DE15M.08(II)	TSM-***DE15M.09(II)	TSM-***DE06A(II)	TSM-***DE06A.08(II)
TSM-***DE06A.09(II)	TSM-***DE15A(II)	TSM-***DE15A.08(II)	TSM-***DE15A.09(II)	TSM-***DD15M(II)
TSM-***DD15M.08(II)	TSM-***DD15M.09(II)	TSM-***DD06M(II)	TSM-***DD06H(II)	TSM-***DD06H.05(II)
TSM-***DD06H.08(II)	TSM-***DD15H(II)	TSM-***DD15H.05(II)	TSM-***DD15H.08(II)	TSM-***DE15X(II)
TSM-***PE15H(II)	TSM-***PE06H(II)	TSM-***PE15M(II)	TSM-***PE06M(II)	TSM-***PE17H(II)
TSM-***PE08H(II)	TSM-***PE17M(II)	TSM-***PE08M(II)		

(ii)

TSM-***DA01A.10	TM-***DA01A.15	TSM-***DA01A.18	TSM-***DC01A.10	TSM-***DC01A.15
TSM-***DC01A.18	TSM-***DD05A.T0(II)	TSM-***DD05A.T8(II)	TSM-***DD14A.T0(II)	TSM-***DD14A.T8(II)
TSM-***DE05A.T0(II)	TSM-***DE05A.T8(II)	TSM-***DE05A.T9(II)	TSM-***DE14A.T0(II)	TSM-***DE14A.T8(II)
TSM-***DE14A.T9(II)	TSM-***DE14B.T0(II)	TSM-***DE14B.T8(II)	TSM-***DE14B.T9(II)	TSM-***DE05H.T0(II)
TSM-***DE05H.T8(II)	TSM-***DE14H.T0(II)	TSM-***DE14H.T8(II)	TSM-***DE14H.T9(II)	TSM-***DD05H.T0(II)
TSM-***DD05H.T8(II)	TSM-***DD14H.T0(II)	TSM-***DD14H.T8(II)	TSM-***DE06H.T0(II)	TSM-***DE06H.T8(II)
TSM-***DE06H.T9(II)	TSM-***DE06H.18(II)	TSM-***DE06M.T0(II)	TSM-***DE06M.T8(II)	TSM-***DE06M.T9(II)
TSM-***DD06M.T8(II)	TSM-***DE15H.T0(II)	TSM-***DE15H.T8(II)	TSM-***DE15H.T9(II)	TSM-***DE15M.T0(II)
TSM-***DE15M.T8(II)	TSM-***DE15M.T9(II)	TSM-***DE06A.T0(II)	TSM-***DE06A.T8(II)	TSM-***DE06A.T9(II)
TSM-***DE15A.T0(II)	TSM-***DE15A.T8(II)	TSM-***DE15A.T9(II)	TSM-***DE15B.T0(II)	TSM-***DE15B.T8(II)
TSM-***DE15B.T9(II)	TSM-***DD15M.T0(II)	TSM-***DD15M.T8(II)	TSM-***DD15M.T9(II)	TSM-***DD06M.18(II)
TSM-***DD06M.T0(II)	TSM-***DD06M.T8(II)	TSM-***DD06M.T9(II)	TSM-***DD06H.T0(II)	TSM-***DD06H.T9(II)
TSM-***DD06H.T8(II)	TSM-***DD06H.18(II)	TSM-***DD06A.T0(II)	TSM-***DD06A.T8(II)	TSM-***DD06A.T9(II)
TSM-***DD15A.T0(II)	TSM-***DD15A.T8(II)	TSM-***DD15A.T9(II)	TSM-***PE15H.T0(II)	TSM-***PE06H.T0(II)
TSM-***PE15M.T0(II)	TSM-***PE06M.T0(II)	TSM-***PE17H.T0(II)	TSM-***PE08H.T0(II)	TSM-***PE17M.T0(II)
TSM-***PE08M.T0(II)				

(iii)

TSM-***DD06M.05(II)	TSM-***DE06M.05(II)	TSM-***DE06X.05(II)	TSM-***DD06X.05(II)	TSM-***DE09.05
TSM-***DD09.05	TSM-***DE09.B5	TSM-***DE09R.05	TSM-***DE09R.B5	

(iv)

TSM-***DE08M(II)	TSM-***DD08M(II)	TSM-***DE17M(II)	TSM-***DD17M(II)	TSM-***DE17M.08(II)
TSM-***DD17M.08(II)	TSM-***DE18M(II)	TSM-***DD18M(II)	TSM-***DE21	TSM-***DE21.08
TSM-***DD21	TSM-***DD21.08	TSM-***DE19	TSM-***DE19.08	TSM-***DD19
TSM-***DD19.08	TSM-***DE20	TSM-***DE20.08	TSM-***DD20	TSM-***DD20.08
TSM-***DE18	TSM-***DE18.08	TSM-***DD18	TSM-***DD18.08	TSM-***DD09
TSM-***DE15V(II)	TSM-***DE09	TSM-***DE15MB(II)	TSM-***DE171H(II)	TSM-***DC082H.08(II)
TSM-***DE20.B0	TSM-***DE09.B0	TSM-***DE09R	TSM-***DE09R.B0	TSM-***DE19R

(v)

TSM-***DE08M.T0(II)	TSM-***DE17M.T0(II)	TSM-***DD08M.T0(II)	TSM-***DD17M.T0(II)	TSM-***DE08M.T8(II)
TSM-***DE17M.T8(II)	TSM-***DD08M.T8(II)	TSM-***DD17M.T8(II)	TSM-***DE18M.T0(II)	TSM-***DD18M.T0(II)
TSM-***DE18M.T8(II)	TSM-***DD18M.T8(II)			

(vi)	TSM-***DE06XC.08(II)	TSM-***DD06XC.08(II)	TSM-***DE09.08	TSM-***DD09.08	TSM-***DD08M.08(II)
	TSM-***DE08M.08(II)	TSM-*** DD06M.08(II)	TSM-*** DE06M.08(II)	TSM-***DE18M.08(II)	TSM-***DD18M.08(II)
	TSM-***DE09.B8	TSM-***DE09R.08	TSM-***DE09R.B8		

(vii)
TSM-***DE19C

(viii)	TSM-***DE06XC.07(II)	TSM-***DE06XC.05(II)	TSM-***DE09C.07	TSM-***DE09C.05
--------	----------------------	----------------------	-----------------	-----------------

c) P-type Polycrystalline of Duomax Products

(i)	TSM-***PDG5	TSM-***PDG5.07	TSM-***PDG5.50	TSM-***PEG5	TSM-***PEG5.07
	TSM-***PEG5.50	TSM-***PEG14	TSM-***PEG14(II)	TSM-***PEG40.40	TSM-***PEG40.47
	TSM-***PEG40.07	TSM-***PEG5.40	TSM-***PEG5.47	TSM-***PEG14.40	TSM-***PEG14.47
	TSM-***PEG5H	TSM-***PEG14H	TSM-***PEG5H.40	TSM-***PEG5H.07	TSM-***PEG5H.47
	TSM-***PEG14H.40	TSM-***PEG14H.07	TSM-***PEG14H.47	TSM-***PEG5H(II)	TSM-***PEG5H.40(II)
	TSM-***PEG5H.07(II)	TSM-***PEG5H.47(II)	TSM-***PEG14H(II)	TSM-***PEG14H.40(II)	TSM-***PEG14H.07(II)
	TSM-***PEG14H.47(II)	TSM-***PEG15H	TSM-***PEG15	TSM-***PEG15H(II)	TSM-***PEG15(II)
	TSM-***PEG6H	TSM-***PEG6	TSM-***PEG6(II)	TSM-***PEG15M(II)	TSM-***PEG6M(II)

(ii)	TSM-***PEG5.20	TSM-***PEG5.27	TSM-***PEG14.20	TSM-***PEG5H.20	TSM-***PEG5H.27
	TSM-***PEG14H.20	TSM-***PEG14H.27	TSM-***PEG5H.20(II)	TSM-***PEG5H.27(II)	TSM-***PEG14H.20(II)
	TSM-***PEG14H.27(II)	TSM-***PEG15H.20	TSM-***PEG15.20	TSM-***PEG15H.20(II)	TSM-***PEG15.20(II)
	TSM-***PEG6H.20	TSM-***PEG6.20	TSM-***PEG6.20(II)		

d) P-type Mono PERC of Duomax Products

(i)	TSM-***DEG40.07(II)	TSM-***DEG5(II)	TSM-***DEG5.07(II)	TSM-***DEG14(II)	TSM-***DEG14.07(II)
	TSM-***DEG40.47(II)	TSM-***DEG5.40(II)	TSM-***DEG5.47(II)	TSM-***DEG14.40(II)	TSM-***DEG14.47(II)
	TSM-***DEG5H(II)	TSM-***DEG14H(II)	TSM-***DEG5H(II)	TSM-***DEG5H.40(II)	TSM-***DEG5H.07(II)
	TSM-***DEG5H.47(II)	TSM-***DEG14H(II)	TSM-***DEG14H.40(II)	TSM-***DEG14H.07(II)	TSM-***DEG14H.47(II)
	TSM-***DEG6H(II)	TSM-***DEG6M(II)	TSM-***DDG6M(II)	TSM-***DEG15H(II)	TSM-***DEG15M(II)
	TSM-***DDG6H(II)	TSM-***DEG6(II)	TSM-***DEG15(II)		

(ii)	TSM-***DEG14.20(II)	TSM-***DEG5.20(II)	TSM-***DEG5.27(II)	TSM-***DEG5H.20(II)	TSM-***DEG5H.27(II)
	TSM-***DEG14H.20(II)	TSM-***DEG14H.27(II)	TSM-***DEG6H.20(II)	TSM-***DEG6M.20(II)	TSM-***DEG15H.20(II)
	TSM-***DEG15M.20(II)	TSM-***DDG6M.20(II)	TSM-***DDG6H.20(II)	TSM-***DEG6.20(II)	TSM-***DEG15.20(II)

(iii)	TSM-***DEG8M.20(II)	TSM-***DEG17M.20(II)	TSM-***DEG18M.20(II)	TSM-***DEG9.20	TSM-***DEG9R.B0
	TSM-***DEG9R.20				

(iv)	TSM-***DEG9.28	TSM-***DEG18M.28(II)	TSM-***DEG9R.B8	TSM-***DEG9R.28
------	----------------	----------------------	-----------------	-----------------

e) P-type Mono PERC of Duomax Twin Products

(i)	TSM-***DEG5C.07(II)	TSM-***DEG14C.07(II),	TSM-***DEG5C(II)	TSM-***DEG14C(II)	TSM-***DEG5HC(II)
	TSM-***DEG5HC.07(II)	TSM-***DEG14HC(II)	TSM-***DEG14HC.07(II)	TSM-***DEG15HC(II)	TSM-***DEG15MC(II)
	TSM-***DEG6HC(II)	TSM-***DEG6MC(II)	TSM-***DEG15C(II)	TSM-***DEG15C.07(II)	

(ii)

TSM-***DEG5C.27(II)	TSM-***DEG14C.27(II)	TSM-***DEG5C.20(II)	TSM-***DEG14C.20(II)	TSM-***DEG5HC.20(II)
TSM-***DEG5HC.27(II)	TSM-***DEG14HC.20(II)	TSM-***DEG14HC.27(II)	TSM-***DEG15HC.20(II)	TSM-***DEG15MC.20(II)
TSM-***DEG6HC.20(II)	TSM-***DEG6MC.20(II)	TSM-***DEG6C.20(II)	TSM-***DEG6C.20(II)	TSM-***DEG15C(II)
TSM-***DEG15C.20(II)	TSM-***DEG15MC.27(II)			

(iii)

TSM-***DEG8MC.20 (II)	TSM-***DEG17MC.20(II)	TSM-***DEG18MC.20(II)	TSM-*** DEG21C.20	TSM-***DEG21C.28
TSM-***DDG21C.20	TSM-***DDG21C.28	TSM-***DEG19C.20	TSM-*** DEG19C.28	TSM-***DDG19C.20
TSM-***DDG19C.28	TSM-***DEG20C.20	TSM-***DEG20C.28	TSM-*** DDG20C.20	TSM-***DDG20C.28
TSM-***DEG15VC.20(II)	TSM-*** DEG18C.20	TSM-***DDG18C.20	TSM-*** DEG18C.28	TSM-*** DDG18C.28
TSM-***DEG19RC.20				

(iv)

TSM-***DEG9C.27	TSM-***DEG9RC.B7	TSM-***DEG9RC.27
-----------------	------------------	------------------

f) N-type Mono of Duomax Twin Products

(i)

TSM-***NEG16MC(II)	TSM-***NEG7MC(II)
--------------------	-------------------

(ii)

TSM-***NEG15MC.20(II)	TSM-***NEG16MC.20(II)	TSM-***NEG7MC.20(II)	TSM-***NEG15XC.20(II)
-----------------------	-----------------------	----------------------	-----------------------

(iii)

TSM-***NEG19C.20	TSM-***NEG20C.20	TSM-***NEG21C.20	TSM-***NEG19RC.20
------------------	------------------	------------------	-------------------

(iv)

TSM-***NEG9C.27	TSM-***NEG9RC.B7	TSM-***NEG9RC.27
-----------------	------------------	------------------

g) N-type Mono of Duomax Products

(i)

TSM-***NEG9.20	TSM-***NEG9R.B0	TSM-***NEG9R.20
----------------	-----------------	-----------------

(ii)

TSM-***NEG9.28	TSM-***NEG9R.B8	TSM-***NEG9R.28
-----------------------	-----------------	-----------------

h) Clamp

(i) Trina Clamp II

Applicable for following Products: TSM-***DE09.B0, TSM-***DE09.B8, TSM-***DE09.B5, TSM-***DE20.B0, TSM-***DE09R.B0, TSM-***DE09R.B5, TSM-***DE09R.B8, TSM-***DEG9R.B0, TSM-***DEG9R.B8, TSM-***DEG9RC.B7, TSM-***NEG9R.B0, TSM-***NEG9R.B8, TSM-***NEG9RC.B7

(ii) Trina Clamp III

Applicable for following Products: TSM-***DE20, TSM-***DE21

Note: The “***” placeholder stands in each case for the power indication set out in the relevant Product Data Sheet (for example “TSM-285PE06H”).

2) Rules of use and application for Products listed under Sec. 1)

Trina Solar has set out certain rules of use and application for the Products (please see Appendix: "Rules of application for climatic modules") to ensure the functionality, durability and performance under different climatic circumstances.

Only for Products listed under Sec. 1) c), d), e), f), g) can be installed on water surface floating systems; For Products not used in accordance with the rules determined in this Appendix, Trina Solar will not undertake this limited Warranty. Any consequences, risks, losses or damages caused by any violations of the Buyer to the "Rules of application for climatic modules" shall be borne by the Buyer solely.

	Environment	Temperature	Relative Humidity	Irradiance kwh/m ²
1)	High temperature and high humidity area	Annual average temperature > 23°C Monthly minimum temperature > 18°C	Annual average RH > 70% Monthly minimum average RH > 60%	/
2)	High temperature difference and high irradiation area	Desert and gobi region	/	> 1800
3)	Gelid area (Low irradiation)	< -10°C (Monthly minimum temperature)	/	< 1400
4)	Normal	Not listed in Nr. 1 to 3 before		

3) Warranty

a) 10 Year Limited Product Warranty

For the Products listed under Sec. 1) c) (i), d) (i), e) (i), f) (i), h) (i) Trina Solar warrants that for a period of ten years commencing on the Warranty Start Date (as defined in Sec. 4)) there will be no defects in material workmanship or manufacture that materially impede the power generation functioning of the Products.

If the Buyer is aware or should have been aware of such design, material, workmanship or manufacturing defects prior to installation of the Products and nevertheless installs the Products without giving Trina Solar the opportunity to correct such defects prior to installation, the Buyer shall bear the additional costs incurred by correcting such defects after installation.

This Limited Product Warranty covers glass breakage provided that there was no external cause of breakage (i.e. only breakage caused by the glass itself or the module is covered).

For Trina Clamp II listed under Sec. 1) h) (i), Trina Solar's warranty is limited to the defects caused by mechanical failures (e.g., shattering, deformation of the Trina Clamp); and regardless of whether such defects substantially impede the performance of the solar modules.

Any deterioration in the appearance of the Products (including, without limitation, any scratches, stains, mechanical wear, rust, mold, deformation or discoloration) or any other changes to the Products which occur after delivery (Incoterms 2020) to the Buyer, do not constitute a defect under this Limited Product Warranty.

b) 12 Year Limited Product Warranty

For the Products listed under Sec.1) a), b) (i), (ii), (iv), (v), (vii) c) (ii), d) (ii), (iii), e) (ii), (iii), f) (ii), (iii), g) (i) Trina Solar warrants that for a period of twelve years commencing on the Warranty Start Date (as defined in Sec. 4)) there will be no defects in material, workmanship or manufacture that materially impede the power generation functioning of the Products.

If the Buyer is aware or should have been aware of such design, material, workmanship or manufacturing defects prior to installation of the Products and nevertheless installs the Products without giving Trina Solar

the opportunity to correct such defects prior to installation, the Buyer shall bear the additional costs incurred by correcting such defects after installation.

This Limited Product Warranty covers glass breakage provided that there was no external cause of breakage (i.e. only breakage caused by the glass itself or the module is covered).

Any deterioration in the appearance of the Products (including, without limitation, any scratches, stains, mechanical wear, rust, mold, deformation or discoloration) or any other changes to the Products which occur after delivery (Incoterms 2020) to the Buyer, do not constitute a defect under this Limited Product Warranty.

c) 15 Year Limited Product Warranty

For the Products listed under Sec.1) **b)** (iii), **(vi)**, (viii), (d) (iv), (e) (iv), (f) (iv), **g) (ii)** Trina Solar warrants that for a period of fifteen years commencing on the Warranty Start Date (as defined in Sec. 4) there will be no defects in material, workmanship or manufacture that materially impede the power generation functioning of the Products.

If the Buyer is aware or should have been aware of such design, material, workmanship or manufacturing defects prior to installation of the Products and nevertheless installs the Products without giving Trina Solar the opportunity to correct such defects prior to installation, the Buyer shall bear the additional costs incurred by correcting such defects after installation.

This Limited Product Warranty covers glass breakage provided that there was no external cause of breakage (i.e. only breakage caused by the glass itself or the module is covered).

Any deterioration in the appearance of the Products (including, without limitation, any scratches, stains, mechanical wear, rust, mold, deformation or discoloration) or any other changes to the Products which occur after delivery (Incoterms 2020) to the Buyer, do not constitute a defect under this Limited Product Warranty.

d) 25 Year Limited Power Output Warranty for Back Sheet Products

In addition, Trina Solar provides power warranty of 25 years, which is commencing on the warranty start date, the remaining power output ratio of our back sheet Products listed under Sec.1) a), b), namely $1 - 100\% * (P0 - P1) / P0$, will not be lower than the following guaranteed level.

P0: Lower limit value of the module nominal power output indicated in the contract or product nameplate.
 P1: Actual power output measured at the Standard Test Conditions (STC: Irradiance 1000w/m², Temperature 25°C, AM 1.5), and measurement shall be carried out either by Trina Solar or by a third-party testing institute recognized by Trina Solar and the Buyer.

(Remarks: According to STC, measurement system uncertainty should be included in all actual power output measurements.)

- for P-type Poly Products (as defined in Sec. 1) a)): 2.5% in the first year; from the 2nd year to the 25th year, the average annual power decline will be no more than 0.65%; by the end of the 25th year, the actual power output will be no less than 81.9%;
- for P-type Mono PERC Products (as defined in Sec. 1) b) (i), (ii)): 2.5% in the first year; from the 2nd year to the 25th year, the average annual power decline will be no more than 0.6%; by the end of the 25th year, the actual power output will be no less than 83.1%.
- for P-type Mono PERC Products (as defined in Sec. 1) b) (iii), (iv), (v), **(vi)**, (vii), (viii)): 2 % in the first year; from the 2nd year to the 25th year, the average annual power decline will be no more than 0.55 %; by the end of the 25th year, the actual power output will be no less than 84.8 %;

(Remark: According to STC, measurement system uncertainty should be included in all actual power output measurements.)

e) 30 Year Limited Power Output Warranty for Dual Glass Products

(i) Frontside:

In addition, Trina Solar provides power warranty of 30 years, which is commencing on the warranty start date, the remaining power output ratio of our dual glass Products listed under Sec.1) c), d) and the front side (without J-Box) of the Products listed under Sec. 1) e), f), **g)**, namely $1-100\% * (P0 - P1) / P0$, will not be lower than the following guaranteed level.

P0: Lower limit value of the module nominal power output indicated in the contract or product nameplate.

P1: Actual power output measured at the Standard Test Conditions (STC: Irradiance 1000w/m², Temperature 25°C, AM 1.5), and measurement shall be carried out either by Trina Solar or by a third-party testing institute recognized by Trina Solar and the Buyer.

(Remarks: According to STC, measurement system uncertainty should be included in all actual power output measurements.)

For DuomaxTwin products listed in 1) e) and 1) f), the power output warranty only applies to the front side of the product (without junction box).

- for P-type Poly Duomax Products (as defined in Sec. 1) c), for P-type Mono PERC Duomax Products (as defined in Sec. 1) d) (i), (ii), for the front side (without J-Box) of P-type Mono PERC Duomax Twin Products (as defined in Sec.1) e) (i), (ii)): 2.5 % in the first year; from the 2nd year to the 30th year, the average annual power decline will be no more than 0.5%; by the end of the 30th year, the actual power output will be no less than 83%;
- for P-type Mono PERC Duomax Products (as defined in Sec. 1) d) (iii), (iv) for the front side (without J-Box) of P-type Mono PERC Duomax Twin Products (as defined in Sec.1) e) (iii), (iv)): 2 % in the first year; from the 2nd year to the 30th year, the average annual power decline will be no more than 0.45 %; by the end of the 30th year, the actual power output will be no less than 84.95%;
- for N-type Mono Duomax Twin Products (as defined in Sec.1) f) (i), (ii)): 1.5% in the first year; from the 2nd year to the 30th year, the average annual power decline will be no more than 0.5%; by the end of the 30th year, the actual power output will be no less than 84%.
- for N-type Mono Duomax Products (as defined in Sec.1) f) (iii), (iv), g) (i), (ii)): 1.0% in the first year; from the 2nd year to the 30th year, the average annual power decline will be no more than 0.4%; by the end of the 30th year, the actual power output will be no less than 87.4%.

(ii) Backside

For P-type Mono PERC Bifacial Products (as defined in Sec.1) b) (vii), (viii), e) (iii), (iv)) and N-type Mono Duomax Twin Products (as defined in Sec.1) f) (iii), (iv)), Trina Solar warrants that for a period of thirty years commencing on the Warranty Start Date (as defined in Sec. 4)) the loss of the power on the backside of the product (with junction box) as follows

- From the 1st year to the 10th year, the power degradation will be no more than Initial backside power P multiplied by 15%
- From 11th to 30th year, the power degradation will be no more than Initial backside power P multiplied 30%.

For definition purposes only: Initial backside power P = nameplate power (module front side power) * specified bifaciality (as specified lower limit of the bifaciality in the relevant Product Data Sheet).

(Remark: According to STC, measurement system uncertainty should be included in all actual power output measurements.)

f) 5 Year Limited Product Warranty

For the Products listed under Sec. 1) h) (ii) Trina Solar warrants that for a period of five years commencing on the Warranty Start Date (as defined in Sec. 4)) there will be no defects in material workmanship or manufacture that materially impede the power generation functioning of the Products.

If the Buyer is aware or should have been aware of such design, material, workmanship or manufacturing defects prior to installation of the Products and nevertheless installs the Products without giving Trina Solar the opportunity to correct such defects prior to installation, the Buyer shall bear the additional costs incurred by correcting such defects after installation.

For Trina Clamp III listed under Sec. 1) h) (ii), Trina Solar's warranty is limited to the defects caused by mechanical failures (e.g., shattering, deformation of the Trina Clamp); and regardless of whether such defects substantially impede the performance of the solar modules.

Any deterioration in the appearance of the Products (including, without limitation, any scratches, stains, mechanical wear, rust, mold, deformation or discoloration) or any other changes to the Products which occur after delivery (Incoterms 2020) to the Buyer, do not constitute a defect under this Limited Product Warranty.

4) Warranty Start Date

The Warranty Start Date is the date of initial installation of the Products or three months after the delivery (Incoterms 2020) of the Products to the Buyer, whichever date is earlier.

5) Exclusions and Limitations

This Global Limited Warranty **does not apply** to any Products which have been subject to:

- a) Failure to pay the purchase price towards Trina Solar or its subsidiaries which have put the module on the market even though (i) the payment was due and (ii) the direct customer who has obtained the module from Trina Solar or its subsidiary ("Direct Customer") is not entitled to withhold the purchase price or parts of the purchase price. Trina Solar must inform the Buyer about the non-payment and provide the name and the full address of the Direct Customer which has failed to pay the module. In case that Trina Solar can reject the claims under this Global Limited Warranty based on this provision, the Buyer can deposit the amount not paid in order to trigger the Global Limited Warranty claims;
- b) Failure to provide proof of purchase or product information;
- c) During the handling (including but not limited to packing/unpacking, loading/unloading, transportation, storage, installation, use, operation or maintenance, etc.) of the Products, failure to comply with the requirements of Trina Solar's **user manual** (as applicable during the validity period of this Global Limited Warranty pursuant to Sec. 11), or **rules of use and application for the Products** (as defined in Sec. 2, unless otherwise agreed in writing) and its Appendix **rules of application for Trina modules**;
- d) Failing to comply with Trina Solar's user manual in terms of the standards of any supporting parts to the Products, or the Buyer has installed any substandard, mismatched, inferior or unqualified supporting (including but not limited to the clamps, etc.), which directly led to the quality problems with Trina Solar Products;
- e) Failure to carry out proper operation and maintenance (including but not limited to operation and maintenance requirements requested by Trina Solar's applicable user manual or other applicable local laws and regulations of the place of installation);
- f) Service by service technicians who are not qualified under the relevant law and/or applicable regulations at the place of installation;

- g) Change, erasure or illegible-made of the Product's type, nameplate or serial number (other than by any act or omission of Trina Solar);
- h) Installation on mobile units (except photovoltaic tracking system), such as vehicles, ships or offshore-structures (except water surface floating systems pursuant to Sec 2);
- i) Exposure to voltage in excess to the maximum system voltage or power surges;
- j) defective components in the construction on which the module is mounted;
- k) Exposure to mold discoloration or similar external effects;
- l) unauthorized modifications:
 - (i) Operation/maintenance by use of unauthorized spare parts;
 - (ii) Application under extreme environmental conditions or rapid changes in such environments resulting in corrosion, oxidation, or affected by chemical products;
 - (iii) Other acts beyond Trina Solar's reasonable control (including direct or indirect damage by war, fire, flood, hurricane, volcanic eruption, surface collapse, debris flow, lightning, earthquake, heavy snowfall, hailstone, strong breeze etc.);
- m) Use of the Products in such a manner as to infringe Trina Solar's or any third party's intellectual property rights (including but not limited to patents, trademarks, etc.);
- n) Any subsequent sale of the Products from a country where Trina Solar was first marketed to another country without the consent of Trina Solar ("Prohibition of Parallel Import"). But the Prohibition of Parallel Import does not apply to the sales within the European Union ("EU"), where the sale of Products from one EU country to another does not require the consent of Trina Solar. However, the consent of Trina Solar must be obtained for the sale of Products from outside the EU to an EU country or from an EU country to outside the EU.
- o) only for Buyers located in Australia applies: This Global Limited Warranty is only valid for Products from authorized Australian resellers. Buyers may contact the Customer Support office in their region (as detailed in Sec. 8)) for details of authorized Australian resellers.
- p) only for Buyers located in the US applies: This Global Limited Warranty is only valid for Products from authorized US resellers. Buyers may contact the Customer Support office in their region (as detailed in Sec. 8)) for details of authorized US resellers.
- q) only for Buyers located in Japan applies: This Global Limited Warranty is only valid for Products from authorized Japanese resellers. Buyers may contact the Customer Support office in their region (as detailed in Sec. 8)) for details of authorized Japanese resellers.

6) Repair, Replacement or Refund Remedy

- a) As Buyer's sole and exclusive remedy under this Global Limited Warranty (though the Buyer should note Sec. 6) d) regarding the potential existence of other statutory rights and Sec. 6 e) for Australian Buyers) Trina Solar will, at its sole discretion, either, with regard to the applicable Products:
 - (i) determine a maintenance plan and repair the defective Products; or
 - (ii) refund the difference value between the actual STC power and the warranty power of the products. Front side power compensation = The market price at time of payout (per watt) * (sum of the remaining theoretical warranty power according to Sec. 3) d), e) - sum of STC power actually measured according to Sec. 3) d), e)); The backside power compensation is processed based on the market price at the time of payout and 10% of the difference between the warranty power and the actual STC power measured for backside; or
 - (iii) refund the salvage value of the defective Products. The salvage value = The market price at the time of payout (unit price per watt) * the original guaranteed nameplate power * remaining warranty period (year) / original total warranty period by Trina Solar; For the salvage value compensation caused by the backside power attenuation, it is treated as 10% of the product salvage value; or
 - (iv) provide additional Products to make up for the difference between the actual STC power of Products and the warranty power (Difference power = sum of the remaining theoretical warranty power according to Sec. 3) d), e) - sum of STC power actually measured according to Sec. 3) d), e)); For the backside power replenishment of the Duomax products, it is treated at 10% of the difference between the actual STC power and the warranty power; or
 - (v) replace the defective Products or part thereof by new or remanufactured Products. The total nominal power of the replaced Products shall not be less than the total remaining theoretical warranty power of the defective Products. (The power on the backside of the Duomax products is

treated at 10% of the backside warranty power) Trina Solar reserves the right to provide other models of Products in replacement or addition of the defective Products if the defective Products are discontinued or otherwise unavailable.

During the warranty period of Sec. 3), Trina Solar shall bear the direct costs of repairing the products and transportation charges incurred in the delivery of the repair, replacement or additional products to the buyer, excluding insurance, air freight, customs clearance, customs duties and other non-seller's costs (e.g. port delays, storage charges due to negligence on the part of the buyer or end-user). During repair and replacement, the costs and other related expenses for the removal, handling, repack, installation or reinstallation shall remain with the Buyer. Beyond the warranty period of Sec. 3), Buyer shall bear all reasonable costs of materials, labor, freight, clearance, removal, repack, installation or reinstallation whatsoever related to repairing or replacement.

Defect Products or end of lifetime Products shall be disposed if legally permissible by the Buyer in accordance with local applicable laws or regulations, unless Trina Solar agrees or where legally mandatory takes them back. If Trina Solar decides or where legally mandatory takes the defective products back, the goods property of these products shall belong to Trina Solar without any limitation.

- b) The Global Limited Warranty periods as defined in Sec. 3) a), b), c), d), e), f) shall not extend or renew upon the repair, replacement or offering additional products of defective Products by Trina Solar. The Global Limited Warranty period for replaced, repaired or additionally provided Products is the remainder of the Global Limited Warranty period on the original new Products.
- c) All other claims under this Global Limited Warranty against Trina Solar shall be excluded. Under this limited Warranty, Trina Solar is not responsible for any special, incidental or consequential damages (including loss of profits, business interruption, loss of power generation, harm to goodwill or business reputation, or delay damages) whether such claims are based in contract, warranty, negligence or strict tort. This exclusion applies to the extent permissible by law, and even if the remedies set forth below herein are deemed to have failed of their essential purpose.
- d) YOU MAY HAVE SPECIFIC LEGAL RIGHTS OUTSIDE THIS LIMITED WARRANTY, AND YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE. THIS GLOBAL LIMITED WARRANTY DOES NOT AFFECT ANY ADDITIONAL RIGHTS YOU HAVE UNDER LAWS IN YOUR JURISDICTION GOVERNING THE SALE OF CONSUMER GOODS, INCLUDING WITHOUT LIMITATION, NATIONAL LAWS IMPLEMENTING EC DIRECTIVE 99/44 OR PURSUANT TO THE MAGNUSON MOSS WARRANTY ACT. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE LIMITATIONS OR EXCLUSIONS IN THIS GLOBAL LIMITED WARRANTY STATEMENT MAY NOT APPLY.
- e) The following statement applies to Buyers that are "Consumers" within the meaning of the Australian Consumer Law:

“Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.”

7) Rights and Remedies against Third Parties

This Global Limited Warranty shall be construed as a separate warranty and independent from any other contractual arrangement with third parties relating to the Products. It shall not affect any rights, obligations and remedies of the Buyer, if any, with regard to third parties for defects or non-conformity or non-compliance of the Products, notwithstanding its legal basis. The rights and remedies provided

hereunder are in addition to any other rights and remedies against third parties to which the Buyer may be entitled by agreements with such third parties or by law.

8) Claims Procedure, Notice Periods, Expiration of Global Limited Warranty Claims and Limitations.

- a) The Buyer shall notify Trina Solar under this Global Limited Warranty using Trina Solar’s Customer Service Portal at the web address <http://customerservice.trinasolar.com>; alternatively by letter or facsimile. At the time of filing the claim, please ensure that the applicant is the owner of the warranty right for the Products or has a valid authorization document issued by the owner of the warranty right for the Products. It is the responsibility of the owner of the warranty right or its authorized representative to cooperate with Trina Solar for signing the Warranty Solution Agreement. The notice of claim shall specify the claim along with written proof, including without limitation, for the purchase of the Products (eg. purchasing invoices indicating purchase date, products, serial numbers, etc.) and for the defect or malfunction of the Products (eg. Materials related to transport, storage, installation and operation, etc.). The contact customer support center for the regions are:

Europe Customer Support

Trina Solar (Schweiz) AG
 Birkenweg 4
 8304 Wallisellen, Switzerland
 T +41 43 299 68 68
 F +41 43 299 68 10
 Mail Euservice@trinasolar.com

Americas Customer Support

Trina Solar (U.S.), Inc.
 7100 Stevenson Blvd, Fremont, CA 94538
 T +1 800 696 7114
 Mail NAservice@trinasolar.com

Australia and New Zealand Customer Support

Trina Solar (Australia) Pty Ltd
 Suite 44.05, Level 44, Governor Philip Tower
 1 Farrer Place Sydney NSW 2000, Australia
 T 1300 874 627
 Mail Australiaservice@trinasolar.com

Japan Customer Support

Trina Solar (Japan) Limited
 32F Sumitomo Fudosan Roppongi Grand
 Tower,2-1,3-chome,Roppongi,Minato-
 ku,Tokyo 1066232,Japan
 T: +81 3 6435 9008
 F: +81 3 6435 9010
 Mail Japanservice@trinasolar.com

China Customer Support

Trina Solar Co. Ltd
 No. 2 Trina Road, Trina PV Industrial Park,
 New District, Changzhou, Jiangsu,
 P.R. China, 213031
 T 400 988 0000
 F +86 519 8517 6021
 Mail Chinaservice@trinasolar.com

Rest of World (ROW) Customer Support

Trina Solar Energy Development Pte Ltd
 600 North Bridge Road, #12-01 Parkview
 Square,
 Singapore 188778
 T: +65 5808 1111
 Mail apmea@trinasolae.com

Middle East and Africa Customer Support

Office 2506 Liwa Heights
 Cluster W, Jumeirah Lake Towers
 Dubai – United Arab Emirates
 Tel: +971 4 568 2872
 Mail MEAservice@trinasolar.com

India Customer Support

Trina Solar (India) Regional Sales Office
 Unit No- 824, 8th Floor, DLF Tower-B, Jasola
 District Center, New Delhi –110025, India
 T: +91 11 45852200, +91 11 35852207
 Mail salesindia@trinasolae.com

- b) Any dispute on technical facts relating to claims brought under this Global Limited Warranty for defects of Products shall be determined by expert determination. Trina Solar and the Buyer will, at the Buyer’s or Trina Solar’s request, jointly appoint as independent expert and appraiser a reputable researcher from a first-class test-institute such as TÜV Rheinland, TÜV SUD or ASU Arizona State University,

and so on (“Technical Expert”). The determination by such Technical Expert shall be final, conclusive, binding and enforceable in any proceeding brought hereunder. The Technical Expert shall (i) act as an expert recognized by Trina Solar; (ii) allow the parties a reasonable opportunity to make representations and counter-representations; (iii) take those representations and counter-representations into account; and (iv) if required by either party give written reasons for his or her determination.

- c) Any claim for breach of this Global Limited Warranty must be brought within two (2) months after discovery of the breach.
- d) The return of any defective Products will not be accepted unless prior written authorization has been given by Trina Solar.

9) Force Majeure

Trina Solar shall not be responsible or liable in any way to the Buyer for any non-performance or delay in Trina Solar's performance under this Global Limited Warranty due to occurrences of force majeure such as war, riots, strikes, unavailability of suitable and sufficient labor, material, or capacity or technical or yield failures and any unforeseen event beyond its control, including, without limitation, any technological or physical event or condition which is not reasonably known or understood at the time of the sale of the defective Products or the notification of the relevant Global Limited Warranty claim under this limited Warranty.

10) Warranty Assignment

This Global Limited Warranty is transferrable when the Products remain installed in their original installation location without having them moved or disassembled after initial installation.

11) Validity

This Global Limited Warranty shall apply to Products delivered to the Buyer on or after 1st of September 2022 (Incoterms 2020). This Global Limited Warranty shall be valid until a new revision is issued by Trina Solar.

12) Geographical Validity

This Global Limited Warranty does apply to all countries with the exception of Germany and Turkey where country specific limited warranties apply.

13) No Other Express Warranty

Except as otherwise provided by applicable statutory law (cf. Sec. 6 d) and 6 e)) or unless modified in writing and signed by an officer of Trina Solar, the Global Limited Warranty set forth herein is the only express warranty (whether written or oral) by Trina Solar applicable to the Products and no one is authorized to restrict, expand or otherwise modify this limited Warranty.

14) Miscellaneous

If any provision of this Global Limited Warranty is held invalid, unenforceable or contrary to law then the validity of the remaining provisions of this Global Limited Warranty shall remain in full force and effect.

15) Limitation of Liability

To the maximum extent permitted by applicable law, Trina Solar's aggregate liability according to this Global Limited Warranty shall not exceed the purchase price paid by the Buyer for the defective Products in the case of a Global Limited Warranty claim. The Buyer acknowledges that the foregoing limitation of liability is an essential element of this Global Limited Warranty and that in the absence of such limitations the purchase price of the Products would be significantly higher.

16) Applicable Law and Jurisdiction

The validity of this Global Limited Warranty, the construction of its terms and the interpretation and enforcement of the rights and duties of the Buyer and Trina Solar shall be governed by the laws of the country of the original installation location of the Products, to the exclusion of that country's conflicts of law rules as well as of the United Nations Convention on the International Sale of Goods dated 11 April 1980 (CISG) and of any other uniform law.

All disputes arising out of or in connection with this Global Limited Warranty shall be finally settled before the ordinary courts of the country of the original installation location of the Products.

17) Note

The installation and operation of photovoltaic modules requires professional skills and should only be performed by qualified professionals. Please read the safety and installation instructions before using and operating the Products (<http://www.trinasolar.com/en-glb/resources/downloads>).

Appendix: "Rules of application for Trina modules"

If the place of the installed Products is not listed in the following list of countries, states and provinces, please contact the competent contact customer support center (as stated in Sec. 8) a) which shall timely feedback to Trina Solar headquarters PM. Then, Trina Solar headquarters PM shall work with engineering center and quality control team to confirm the corresponding product or material type and update the database.

Region	CN	Country/state/province	Climate type	Applicable products listed under Sec.1
Africa	01	Ghana	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	02	Mauritius	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	03	Nigeria	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	04	Sierra Leone	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	05	Central African Republic	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	06	Namibia	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	07	Algeria	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	08	Tunisia	Normally	(a), (b), (c), (d), (e), (f),(g)
	09	Egypt	Normally	(a), (b), (c), (d), (e), (f),(g)
	10	Djibouti	Normally	(a), (b), (c), (d), (e), (f),(g)
	11	Kenya	Normally	(a), (b), (c), (d), (e), (f),(g)
	12	Morocco	Normally	(a), (b), (c), (d), (e), (f),(g)
	13	South Africa	Normally	(a), (b), (c), (d), (e), (f),(g)
	14	Senegal	Normally	(a), (b), (c), (d), (e), (f),(g)
	15	Tanzania	Normally	(a), (b), (c), (d), (e), (f),(g)
	16	Malawi	Normally	(a), (b), (c), (d), (e), (f),(g)
	17	Zimbabwe	Normally	(a), (b), (c), (d), (e), (f),(g)
	18	Ethiopia	Normally	(a), (b), (c), (d), (e), (f),(g)
	19	Zambia	Normally	(a), (b), (c), (d), (e), (f),(g)
	20	Eritrea	Normally	(a), (b), (c), (d), (e), (f),(g)
	21	Burkina Faso	Normally	(a), (b), (c), (d), (e), (f),(g)
	22	Rwanda	Normally	(a), (b), (c), (d), (e), (f),(g)
	23	Mozambique	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	24	Botswana	Normally	(a), (b), (c), (d), (e), (f),(g)
	25	Angola	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	26	Mali	Normally	(a), (b), (c), (d), (e), (f),(g)
	27	Uganda	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	28	Chad	Normally	(a), (b), (c), (d), (e), (f),(g)
	29	Mauritania	Normally	(a), (b), (c), (d), (e), (f),(g)
	30	Cote d'Ivoire	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	31	Guinea	Normally	(a), (b), (c), (d), (e), (f),(g)
	32	Niger	Normally	(a), (b), (c), (d), (e), (f),(g)
	33	Madagascar	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	34	Burundi	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	35	Liberia	Normally	(a), (b), (c), (d), (e), (f),(g)
	36	Guinea-Bissau	Normally	(a), (b), (c), (d), (e), (f),(g)
	37	Benin	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	38	Togo	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	39	Swaziland	Normally	(a), (b), (c), (d), (e), (f),(g)
	40	Libya	Normally	(a), (b), (c), (d), (e), (f),(g)
	41	Lesotho	Normally	(a), (b), (c), (d), (e), (f),(g)
	42	Cape Verde	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	43	Seychelles	hot and humid	(a), (b), (c), (d), (e), (f),(g)

GLOBAL LIMITED WARRANTY FOR TRINA SOLAR BRAND CRYSTALLINE SOLAR PHOTOVOLTAIC MODULES

Africa	44	Gambia	Normally	(a), (b), (c), (d), (e), (f),(g)
	45	Comoros	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	46	Sudan	Normally	(a), (b), (c), (d), (e), (f),(g)
	47	Somalia	Normally	(a), (b), (c), (d), (e), (f),(g)
	48	Sao Tome and Principe	Normally	(a), (b), (c), (d), (e), (f),(g)
	49	Democratic Republic of Congo	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	50	Congo	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	51	South Sudan	Normally	(a), (b), (c), (d), (e), (f),(g)
	52	Equatorial Guinea	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	53	Gabon	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	54	Douala	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	55	Cameroon	hot and humid	(a), (b), (c), (d), (e), (f),(g)
MEA	01	United Arab Emirates	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	02	Oman	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	03	Bahrain	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	04	Saudi Arabia	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	05	Yemen	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	06	Iraq	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	07	Israel	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	08	Lebanon	Normally	(a), (b), (c), (d), (e), (f),(g)
	09	Palestine	Normally	(a), (b), (c), (d), (e), (f),(g)
	10	Jordan	Normally	(a), (b), (c), (d), (e), (f),(g)
	11	Kuwait	Normally	(a), (b), (c), (d), (e), (f),(g)
	12	Qatar	Normally	(a), (b), (c), (d), (e), (f),(g)
	13	Syrian	Normally	(a), (b), (c), (d), (e), (f),(g)
	14	Cameroon	hot and humid	(a), (b), (c), (d), (e), (f),(g)
EU	01	Norway	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	02	Sweden	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	03	Finland	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	04	Denmark	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	05	Ukraine	Normally	(a), (b), (c), (d), (e), (f),(g)
	06	Germany	Normally	(a), (b), (c), (d), (e), (f),(g)
	07	France	Normally	(a), (b), (c), (d), (e), (f),(g)
	08	Georgia	Normally	(a), (b), (c), (d), (e), (f),(g)
	09	Netherlands	Normally	(a), (b), (c), (d), (e), (f),(g)
	10	Netherlands Antilles	Normally	(a), (b), (c), (d), (e), (f),(g)
	11	Portugal	Normally	(a), (b), (c), (d), (e), (f),(g)
	12	Switzerland	Normally	(a), (b), (c), (d), (e), (f),(g)
	13	Turkey	Normally	(a), (b), (c), (d), (e), (f),(g)
	14	Spain	Normally	(a), (b), (c), (d), (e), (f),(g)
	15	Greece	Normally	(a), (b), (c), (d), (e), (f),(g)
	16	Slovakia	Normally	(a), (b), (c), (d), (e), (f),(g)
	17	Hungary	Normally	(a), (b), (c), (d), (e), (f),(g)
	18	Luxembourg	Normally	(a), (b), (c), (d), (e), (f),(g)
	19	Malta	Normally	(a), (b), (c), (d), (e), (f),(g)
	20	Czech Republic	Normally	(a), (b), (c), (d), (e), (f),(g)
	21	Poland	Normally	(a), (b), (c), (d), (e), (f),(g)
	22	Bosnia and Herzegovina	Normally	(a), (b), (c), (d), (e), (f),(g)
	23	Belgium	Normally	(a), (b), (c), (d), (e), (f),(g)
	24	Austria	Normally	(a), (b), (c), (d), (e), (f),(g)

EU	25	Estonia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	26	Ireland	Normally	(a), (b), (c), (d), (e), (f),(g)	
	27	New Caledonia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	28	United Kingdom	Normally	(a), (b), (c), (d), (e), (f),(g)	
	29	Italy	Normally	(a), (b), (c), (d), (e), (f),(g)	
	30	Curacao Island	hot and humid	(a), (b), (c), (d), (e), (f),(g)	
	31	Bulgaria	Normally	(a), (b), (c), (d), (e), (f),(g)	
	32	Uzbekistan	Normally	(a), (b), (c), (d), (e), (f),(g)	
	33	Kazakhstan	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)	
	34	Cyprus	Normally	(a), (b), (c), (d), (e), (f),(g)	
	35	Lithuania	Normally	(a), (b), (c), (d), (e), (f),(g)	
	36	Romania	Normally	(a), (b), (c), (d), (e), (f),(g)	
	37	Moldova	Normally	(a), (b), (c), (d), (e), (f),(g)	
	38	Latvia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	39	Azerbaijan	Normally	(a), (b), (c), (d), (e), (f),(g)	
	40	Slovenia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	41	Albania	Normally	(a), (b), (c), (d), (e), (f),(g)	
	42	Montenegro	Normally	(a), (b), (c), (d), (e), (f),(g)	
	43	North Macedonia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	44	Serbia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	45	Croatia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	46	Kosovo	Normally	(a), (b), (c), (d), (e), (f),(g)	
	47	Macedonia Greece	Normally	(a), (b), (c), (d), (e), (f),(g)	
	India	01	Calcutta	hot and humid	(a), (b), (c), (d), (e), (f),(g)
		02	Telangana	Normally	(a), (b), (c), (d), (e), (f),(g)
03		Andhra pradesh	Normally	(a), (b), (c), (d), (e), (f),(g)	
04		Tripura	Normally	(a), (b), (c), (d), (e), (f),(g)	
05		Kerala	Normally	(a), (b), (c), (d), (e), (f),(g)	
06		Rajasthan	Normally	(a), (b), (c), (d), (e), (f),(g)	
07		West Bengal	Normally	(a), (b), (c), (d), (e), (f),(g)	
08		maharashtra	Normally	(a), (b), (c), (d), (e), (f),(g)	
09		uttar pradesh	Normally	(a), (b), (c), (d), (e), (f),(g)	
10		Tamil Nadu	Normally	(a), (b), (c), (d), (e), (f),(g)	
11		Gujarat	Normally	(a), (b), (c), (d), (e), (f),(g)	
13		karnataka	Normally	(a), (b), (c), (d), (e), (f),(g)	
14		Madhya pradesh	Normally	(a), (b), (c), (d), (e), (f),(g)	
16		Punjab	Normally	(a), (b), (c), (d), (e), (f),(g)	
17		Haryana	Normally	(a), (b), (c), (d), (e), (f),(g)	
18		Delhi	Normally	(a), (b), (c), (d), (e), (f),(g)	
19		Bihar	Normally	(a), (b), (c), (d), (e), (f),(g)	
20		Orissa	Normally	(a), (b), (c), (d), (e), (f),(g)	
21		Jharkhand	Normally	(a), (b), (c), (d), (e), (f),(g)	
23		Chhattisgarh	Normally	(a), (b), (c), (d), (e), (f),(g)	
24		state of Jammu &Kashmir	Normally	(a), (b), (c), (d), (e), (f),(g)	
25		Uttarakhand	Normally	(a), (b), (c), (d), (e), (f),(g)	
26		Himachal pradesh	Normally	(a), (b), (c), (d), (e), (f),(g)	
27		Goa	Normally	(a), (b), (c), (d), (e), (f),(g)	
28		Manipur	Normally	(a), (b), (c), (d), (e), (f),(g)	
29		Meghalaya	Normally	(a), (b), (c), (d), (e), (f),(g)	
30		Nagaland	Normally	(a), (b), (c), (d), (e), (f),(g)	
31		Mizoram	Normally	(a), (b), (c), (d), (e), (f),(g)	
32		The state of punjab	Normally	(a), (b), (c), (d), (e), (f),(g)	
Japan		01	Hokkaido	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
		02	Except Hokkaido	Normally	(a), (b), (c), (d), (e), (f),(g)

GLOBAL LIMITED WARRANTY FOR TRINA SOLAR BRAND CRYSTALLINE SOLAR PHOTOVOLTAIC MODULES

ROA	01	Philippines	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	02	Cambodia	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	03	Maldives	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	04	Malaysia	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	05	Myanmar	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	06	Sri Lanka	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	07	Solomon Islands	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	08	Thailand	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	09	Singapore	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	10	Indonesia	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	11	Viet Nam	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	12	Bengal	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	13	Pakistan	Normally	(a), (b), (c), (d), (e), (f),(g)
	14	Korea, Republic of	Normally	(a), (b), (c), (d), (e), (f),(g)
	15	Mongolia	Normally	(a), (b), (c), (d), (e), (f),(g)
	16	Nepal	Normally	(a), (b), (c), (d), (e), (f),(g)
	17	New Zealand	Normally	(a), (b), (c), (d), (e), (f),(g)
	18	Hong Kong	Normally	(a), (b), (c), (d), (e), (f),(g)
	19	Brunei	hot and humid	(a), (b), (c), (d), (e), (f),(g)
AUS	01	North coast of Australia	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	02	Queensland	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	03	the State of Victoria	Normally	(a), (b), (c), (d), (e), (f),(g)
	04	Australian capital territory	Normally	(a), (b), (c), (d), (e), (f),(g)
	05	New South Wales	Normally	(a), (b), (c), (d), (e), (f),(g)
	06	western australia	Normally	(a), (b), (c), (d), (e), (f),(g)
	07	Tasmania	Normally	(a), (b), (c), (d), (e), (f),(g)
	08	South Australia	Normally	(a), (b), (c), (d), (e), (f),(g)
LAC	01	Barbados	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	02	Panama	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	03	Tropical rainforest area of northern Brazil	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	04	Dominican Republic	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	05	Colombia	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	06	Costa Rica	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	07	Guyana	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	08	Haiti	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	09	Honduras	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	10	Martinique	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	11	Peru	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	12	Argentina	Normally	(a), (b), (c), (d), (e), (f),(g)
	13	Mexico	Normally	(a), (b), (c), (d), (e), (f),(g)
	14	Nicaragua	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	15	El Salvador	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	16	Uruguay	Normally	(a), (b), (c), (d), (e), (f),(g)
	17	Jamaica	Normally	(a), (b), (c), (d), (e), (f),(g)
	18	Chile	Normally	(a), (b), (c), (d), (e), (f),(g)
	19	Brazil(Except tropical rainforest area of northern)	Normally	(a), (b), (c), (d), (e), (f),(g)
	20	La Joya	Normally	(a), (b), (c), (d), (e), (f),(g)
	21	Bolivia	Normally	(a), (b), (c), (d), (e), (f),(g)
	22	The Republic of Guatemala	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	23	Saint Lucia	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	24	Bahamas	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	25	Puerto Rico	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	26	Paraguay	Normally	(a), (b), (c), (d), (e), (f),(g)

LAC	27	Caribbean Islands	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	28	Arequipa	Normally	(a), (b), (c), (d), (e), (f),(g)
	29	Moquegua	Normally	(a), (b), (c), (d), (e), (f),(g)
	30	Ecuador	Normally	(a), (b), (c), (d), (e), (f),(g)
	31	Cockburn Town	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	32	Turks Islands	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	33	Caicos Islands	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	34	Belize	hot and humid	(a), (b), (c), (d), (e), (f),(g)
CHN	01	Hainan	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	02	Inner Mongolia	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	03	Sinkiang	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	04	Tibet	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	05	Golmud	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	06	Gansu	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	07	Heilongjiang	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	08	Jilin	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	09	Anhui	Normally	(a), (b), (c), (d), (e), (f),(g)
	10	Hebei	Normally	(a), (b), (c), (d), (e), (f),(g)
	11	Jiangsu	Normally	(a), (b), (c), (d), (e), (f),(g)
	12	Fujian	Normally	(a), (b), (c), (d), (e), (f),(g)
	13	Yunnan	Normally	(a), (b), (c), (d), (e), (f),(g)
	14	Szechwan	Normally	(a), (b), (c), (d), (e), (f),(g)
	15	Ningxia	Normally	(a), (b), (c), (d), (e), (f),(g)
	16	Guizhou	Normally	(a), (b), (c), (d), (e), (f),(g)
	17	Shanxi	Normally	(a), (b), (c), (d), (e), (f),(g)
	18	Henan	Normally	(a), (b), (c), (d), (e), (f),(g)
	19	Hubei	Normally	(a), (b), (c), (d), (e), (f),(g)
	20	Hunan	Normally	(a), (b), (c), (d), (e), (f),(g)
	21	Guangdong	Normally	(a), (b), (c), (d), (e), (f),(g)
	22	Guangxi	Normally	(a), (b), (c), (d), (e), (f),(g)
	23	Liaoning	Normally	(a), (b), (c), (d), (e), (f),(g)
	24	Shanghai	Normally	(a), (b), (c), (d), (e), (f),(g)
	25	Tianjin	Normally	(a), (b), (c), (d), (e), (f),(g)
	26	Jiangxi	Normally	(a), (b), (c), (d), (e), (f),(g)
	27	Shaanxi	Normally	(a), (b), (c), (d), (e), (f),(g)
	28	Shandong	Normally	(a), (b), (c), (d), (e), (f),(g)
	29	Chongqing	Normally	(a), (b), (c), (d), (e), (f),(g)
	30	Beijing	Normally	(a), (b), (c), (d), (e), (f),(g)
	31	Zhejiang	Normally	(a), (b), (c), (d), (e), (f),(g)
	32	Taiwan	hot and humid	(a), (b), (c), (d), (e), (f),(g)
USA	01	Florida	hot and humid	(a), (b), (c), (d), (e), (f),(g)
	02	California	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	03	Arizona	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	04	Texas	High temperature difference and high irradiation	(a), (b), (c), (d), (e), (f),(g)
	05	Alaska	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	06	Massachusetts	Normally	(a), (b), (c), (d), (e), (f),(g)
	07	New Jersey	Normally	(a), (b), (c), (d), (e), (f),(g)
	08	North Carolina	Normally	(a), (b), (c), (d), (e), (f),(g)
	09	New Canaan	Normally	(a), (b), (c), (d), (e), (f),(g)
	10	New York	Normally	(a), (b), (c), (d), (e), (f),(g)

GLOBAL LIMITED WARRANTY FOR TRINA SOLAR BRAND CRYSTALLINE SOLAR PHOTOVOLTAIC MODULES

USA	11	Hawaii	hot and humid	(a), (b), (c), (d), (e), (f),(g)	
	12	Montana	Normally	(a), (b), (c), (d), (e), (f),(g)	
	13	Nebraska	Normally	(a), (b), (c), (d), (e), (f),(g)	
	14	Nevada	Normally	(a), (b), (c), (d), (e), (f),(g)	
	15	New Hampshire	Normally	(a), (b), (c), (d), (e), (f),(g)	
	16	New Mexico	Normally	(a), (b), (c), (d), (e), (f),(g)	
	17	North Dakota	Normally	(a), (b), (c), (d), (e), (f),(g)	
	18	Ohio	Normally	(a), (b), (c), (d), (e), (f),(g)	
	19	Oklahoma	Normally	(a), (b), (c), (d), (e), (f),(g)	
	20	Oregon	Normally	(a), (b), (c), (d), (e), (f),(g)	
	21	Pennsylvania	Normally	(a), (b), (c), (d), (e), (f),(g)	
	22	Rhode Island	Normally	(a), (b), (c), (d), (e), (f),(g)	
	23	South Dakota	Normally	(a), (b), (c), (d), (e), (f),(g)	
	24	Tennessee	Normally	(a), (b), (c), (d), (e), (f),(g)	
	25	Utah	Normally	(a), (b), (c), (d), (e), (f),(g)	
	26	Vermont	Normally	(a), (b), (c), (d), (e), (f),(g)	
	27	Virginia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	28	Washington	Normally	(a), (b), (c), (d), (e), (f),(g)	
	29	West Virginia	Normally	(a), (b), (c), (d), (e), (f),(g)	
	30	Wisconsin	Normally	(a), (b), (c), (d), (e), (f),(g)	
	31	Wyoming	Normally	(a), (b), (c), (d), (e), (f),(g)	
	32	Alabama	Normally	(a), (b), (c), (d), (e), (f),(g)	
	33	Arkansas	Normally	(a), (b), (c), (d), (e), (f),(g)	
	34	Colorado	Normally	(a), (b), (c), (d), (e), (f),(g)	
	35	Connecticut	Normally	(a), (b), (c), (d), (e), (f),(g)	
	36	Delaware	Normally	(a), (b), (c), (d), (e), (f),(g)	
	37	Georgia state	Normally	(a), (b), (c), (d), (e), (f),(g)	
	38	Idaho	Normally	(a), (b), (c), (d), (e), (f),(g)	
	39	Illinois	Normally	(a), (b), (c), (d), (e), (f),(g)	
	40	Indiana	Normally	(a), (b), (c), (d), (e), (f),(g)	
	41	Iowa	Normally	(a), (b), (c), (d), (e), (f),(g)	
	42	Kansas	Normally	(a), (b), (c), (d), (e), (f),(g)	
	43	Kentucky	Normally	(a), (b), (c), (d), (e), (f),(g)	
	44	Lousiana	Normally	(a), (b), (c), (d), (e), (f),(g)	
	45	Maine	Normally	(a), (b), (c), (d), (e), (f),(g)	
	46	Maryland	Normally	(a), (b), (c), (d), (e), (f),(g)	
	47	Michigan	Normally	(a), (b), (c), (d), (e), (f),(g)	
	48	Minnesota	Normally	(a), (b), (c), (d), (e), (f),(g)	
	49	Mississippi	Normally	(a), (b), (c), (d), (e), (f),(g)	
	50	Missouri	Normally	(a), (b), (c), (d), (e), (f),(g)	
	51	South Carolina	Normally	(a), (b), (c), (d), (e), (f),(g)	
	Canada	01	Canada	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	Russia	01	Russia	Gelid (Low irradiation)	(a), (b), (c), (d), (e), (f),(g)
	Armenia	01	Yerevan	Normally	(a), (b), (c), (d), (e), (f),(g)

TS-M-2137



Trina Solar Co, Ltd.



2 Tianhe Road, Tianhe Photovoltaic Industrial Park, Xinbei District, Changzhou City, Jiangsu Province

Trina Customer Service Portal: <http://customerservice.trinasolar.com>



Tel: 0086-519-85485801

Fax: 0086-519-85485936

The Right Of Final Interpretation Belongs To Trina Solar.

DECLARATION OF CONFORMITY

Holder of Declaration: Trina Solar Co., Ltd.

Address: No.2 TianHe Road, Trina PV Industrial Park, New District, Changzhou City, Jiangsu Province
213031, P. R. China.

Brand Name: Trina Solar

We, Trina Solar Co., Ltd. hereby declare that the product (s):

Product: Mono/Poly Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Type Designation:

➤ Backsheet Module System Voltage: 1500V DC

TSM-xxxPE14A , TSM-xxxPE14A.08 , TSM-xxxPE14A.09 , TSM-xxxPE14A(II) , TSM-xxxPE14A.08(II) ,
TSM-xxxPE14A.09(II) , TSM-xxxPE14A.T0 , TSM-xxxPE14A.T8 , TSM-xxxPE14A.T9 , TSM-xxxPE14A.T0(II) ,
TSM-xxxPE14A.T8(II) , TSM-xxxPE14A.T9(II) , (xxx=305-360, in steps of 5);

TSM-xxxPE05A , TSM-xxxPE05A.08 , TSM-xxxPE05A.09 , TSM-xxxPE05A(II) , TSM-xxxPE05A.08(II) ,
TSM-xxxPE05A.09(II) , TSM-xxxPE05A.T0 , TSM-xxxPE05A.T8 , TSM-xxxPE05A.T9 ,
TSM-xxxPE05A.T0(II) , TSM-xxxPE05A.T8(II) , TSM-xxxPE05A.T9(II) , (xxx=255-300, in steps of 5);

TSM-xxxPE14B , TSM-xxxPE14B.08 , TSM-xxxPE14B.09 , TSM-xxxPE14B(II) , TSM-xxxPE14B.08(II) ,
TSM-xxxPE14B.09(II) , TSM-xxxPE14B.T0 , TSM-xxxPE14B.T8 , TSM-xxxPE14B.T9 ,
TSM-xxxPE14B.T0(II) , TSM-xxxPE14B.T8(II) , TSM-xxxPE14B.T9(II) , (xxx=305-360, in steps of 5);

TSM-xxxPE15B , TSM-xxxPE15B.08 , TSM-xxxPE15B.09 , TSM-xxxPE15B(II) , TSM-xxxPE15B.08(II) ,
TSM-xxxPE15B.09(II) , TSM-xxxPE15B.T0 , TSM-xxxPE15B.T8 , TSM-xxxPE15B.T9 ,
TSM-xxxPE15B.T0(II) , TSM-xxxPE15B.T8(II) , TSM-xxxPE15B.T9(II) , (xxx=305-360, in steps of 5);

TSM-xxxPE15A , TSM-xxxPE15A.08 , TSM-xxxPE15A.09 , TSM-xxxPE15A(II) , TSM-xxxPE15A.08(II) ,
TSM-xxxPE15A.09(II) , TSM-xxxPE15A.T0 , TSM-xxxPE15A.T8 , TSM-xxxPE15A.T9 , TSM-xxxPE15A.T0(II)
TSM-xxxPE15A.T8(II) , TSM-xxxPE15A.T9(II) , (xxx=305-360, in steps of 5);

TSM-xxxPE06A , TSM-xxxPE06A.08 , TSM-xxxPE06A.09 , TSM-xxxPE06A(II) , TSM-xxxPE06A.08(II) ,
TSM-xxxPE06A.09(II) , TSM-xxxPE06A.T0 , TSM-xxxPE06A.T8 , TSM-xxxPE06A.T9 ,
TSM-xxxPE06A.T0(II) , TSM-xxxPE06A.T8(II) , TSM-xxxPE06A.T9(II) , (xxx=255-300, in steps of 5);

TSM-xxxPE15HB , TSM-xxxPE15HB.08 , TSM-xxxPE15HB.09 , TSM-xxxPE15HB(II) , TSM-xxxPE15HB.08(II) ,
TSM-xxxPE15HB.09(II) , TSM-xxxPE15HB.T0 , TSM-xxxPE15HB.T8 , TSM-xxxPE15HB.T9 ,
TSM-xxxPE15HB.T0(II) , TSM-xxxPE15HB.T8(II) , TSM-xxxPE15HB.T9(II) ,
(xxx=320-390, in steps of 5);

TSM-xxxDE14A(II) , TSM-xxxDE14A.08(II) , TSM-xxxDE14A.09(II) , TSM-xxxDE14A.T0(II) ,
TSM-xxxDE14A.T8(II) , TSM-xxxDE14A.T9(II) , TSM-xxxDE14A.05(II) , (xxx=330-390, in steps of 5);

Trina Solar Co. Ltd.

No 2 . Tianhe Road, Trina PV Industrial Park, New District,
Changzhou, Jiangsu, 213031, P.R. China

T: +86 519 8548 2008

F: +86 519 8517 6021

E: sales@trinasolar.com

TSM-xxxDE05A(II), TSM-xxxDE05A.08(II), TSM-xxxDE05A.09(II), TSM-xxxDE05A.T0(II),
TSM-xxxDE05A.T8(II), TSM-xxxDE05A.T9(II), TSM-xxxDE05A.05(II), (xxx=275-325, in steps of 5);

TSM-xxxDE14B(II), TSM-xxxDE14B.08(II), TSM-xxxDE14B.09(II), TSM-xxxDE14B.T0(II),
TSM-xxxDE14B.T8(II), TSM-xxxDE14B.T9(II), TSM-xxxDE14B.05(II), (xxx=330-385, in steps of 5);

TSM-xxxDE15B(II), TSM-xxxDE15B.08(II), TSM-xxxDE15B.09(II), TSM-xxxDE15B.T0(II),
TSM-xxxDE15B.T8(II), TSM-xxxDE15B.T9(II), TSM-xxxDE15B.05(II), (xxx=330-385, in steps of 5);

TSM-xxxDE15A(II), TSM-xxxDE15A.08(II), TSM-xxxDE15A.09(II), TSM-xxxDE15A.T0(II),
TSM-xxxDE15A.T8(II), TSM-xxxDE15A.T9(II), TSM-xxxDE15A.08(II), TSM-xxxDE15A.05(II),
(xxx=330-385, in steps of 5);

TSM-xxxDE06A(II), TSM-xxxDE06A.08(II), TSM-xxxDE06A.09(II), TSM-xxxDE06A.T0(II),
TSM-xxxDE06A.T8(II), TSM-xxxDE06A.T9(II), TSM-xxxDE06A.05(II), (xxx=275-325, in steps of 5);

TSM-xxxDE15HB(II), TSM-xxxDE15HB.08(II), TSM-xxxDE15HB.09(II), TSM-xxxDE15HB.T0(II),
TSM-xxxDE15HB.T8(II), TSM-xxxDE15HB.T9(II), TSM-xxxDE15HB.05(II),
(xxx=330-425, in steps of 5);

TSM-xxxPE14H, TSM-xxxPE14H.08, TSM-xxxPE14H.09, TSM-xxxPE14H(II), TSM-xxxPE14H.08(II),
TSM-xxxPE14H.09(II), TSM-xxxPE14H.T0, TSM-xxxPE14H.T8, TSM-xxxPE14H.T9,
TSM-xxxPE14H.T0(II), TSM-xxxPE14H.T8(II), TSM-xxxPE14H.T9(II), (xxx=320-360, in steps of 5);

TSM-xxxPE05H, TSM-xxxPE05H.08, TSM-xxxPE05H.09, TSM-xxxPE05H(II), TSM-xxxPE05H.08(II),
TSM-xxxPE05H.09(II), TSM-xxxPE05H.T0, TSM-xxxPE05H.T8, TSM-xxxPE05H.T9,
TSM-xxxPE05H.T0(II), TSM-xxxPE05H.T8(II), TSM-xxxPE05H.T9(II), (xxx=270-300, in steps of 5);

TSM-xxxPE14HB, TSM-xxxPE14HB.08, TSM-xxxPE14HB.09, TSM-xxxPE14HB(II),
TSM-xxxPE14HB.08(II), TSM-xxxPE14HB.09(II), TSM-xxxPE14HB.T0, TSM-xxxPE14HB.T8,
TSM-xxxPE14HB.T9, TSM-xxxPE14HB.T0(II), TSM-xxxPE14HB.T8(II), TSM-xxxPE14HB.T9(II),
(xxx=320-360, in steps of 5);

TSM-xxxPE15H, TSM-xxxPE15H.08, TSM-xxxPE15H.09, TSM-xxxPE15H(II), TSM-xxxPE15H.08(II),
TSM-xxxPE15H.09(II), TSM-xxxPE15H.T0, TSM-xxxPE15H.T8, TSM-xxxPE15H.T9, TSM-xxxPE15H.T0(II),
TSM-xxxPE15H.T8(II), TSM-xxxPE15H.T9(II), (xxx=320-405, in steps of 5);

TSM-xxxPE06H, TSM-xxxPE06H.08, TSM-xxxPE06H.09, TSM-xxxPE06H(II), TSM-xxxPE06H.08(II),
TSM-xxxPE06H.09(II), TSM-xxxPE06H.T0, TSM-xxxPE06H.T8, TSM-xxxPE06H.T9, TSM-xxxPE06H.T0(II),
TSM-xxxPE06H.T8(II), TSM-xxxPE06H.T9(II), (xxx=270-335, in steps of 5);

TSM-xxxPE15M, TSM-xxxPE15M.08, TSM-xxxPE15M.09, TSM-xxxPE15M(II), TSM-xxxPE15M.08(II),
TSM-xxxPE15M.09(II), TSM-xxxPE15M.T0, TSM-xxxPE15M.T8, TSM-xxxPE15M.T9,
TSM-xxxPE15M.T0(II), TSM-xxxPE15M.T8(II), TSM-xxxPE15M.T9(II), (xxx=320-405, in steps of 5);

TSM-xxxPE06M, TSM-xxxPE06M.08, TSM-xxxPE06M.09, TSM-xxxPE06M(II), TSM-xxxPE06M.08(II),
TSM-xxxPE06M.09(II), TSM-xxxPE06M.T0, TSM-xxxPE06M.T8, TSM-xxxPE06M.T9,
TSM-xxxPE06M.T0(II), TSM-xxxPE06M.T8(II), TSM-xxxPE06M.T9(II), (xxx=270-335, in steps of 5);

TSM-xxxDE14H(II), TSM-xxxDE14H.08(II), TSM-xxxDE14H.09(II), TSM-xxxDE14H.T0(II),
TSM-xxxDE14H.T8(II), TSM-xxxDE14H.T9(II), TSM-xxxDE14H.05(II), (xxx=330-395, in steps of 5);

TSM-xxxDE05H(II), TSM-xxxDE05H.08(II), TSM-xxxDE05H.09(II), TSM-xxxDE05H.T0(II),
TSM-xxxDE05H.T8(II), TSM-xxxDE05H.T9(II), TSM-xxxDE05H.05(II), (xxx=275-335, in steps of 5);

TSM-xxxDE14HB(II), TSM-xxxDE14HB.08(II), TSM-xxxDE14HB.09(II), TSM-xxxDE14HB.T0(II), TSM-xxxDE14HB.T8(II), TSM-xxxDE14HB.T9(II), TSM-xxxDE14HB.05(II), (xxx=330-395, in steps of 5);

TSM-xxxDE15H(II), TSM-xxxDE15H.08(II), TSM-xxxDE15H.09(II), TSM-xxxDE15H.T0(II), TSM-xxxDE15H.T8(II), TSM-xxxDE15H.T9(II), TSM-xxxDE15H.05(II), (xxx=330-425, in steps of 5);

TSM-xxxDE06H(II), TSM-xxxDE06H.08(II), TSM-xxxDE06H.09(II), TSM-xxxDE06H.T0(II), TSM-xxxDE06H.T8(II), TSM-xxxDE06H.T9(II), TSM-xxxDE06H.05(II), (xxx=275-350, in steps of 5);

TSM-xxxDE15M(II), TSM-xxxDE15M.08(II), TSM-xxxDE15M.09(II), TSM-xxxDE15M.T0(II), TSM-xxxDE15M.T8(II), TSM-xxxDE15M.T9(II), TSM-xxxDE15M.05(II), (xxx=330-420, in steps of 5);

TSM-xxxDE06M(II), TSM-xxxDE06M.08(II), TSM-xxxDE06M.09(II), TSM-xxxDE06M.T0(II), TSM-xxxDE06M.T8(II), TSM-xxxDE06M.T9(II), TSM-xxxDE06M.05(II), (xxx=275-350, in steps of 5);

TSM-xxxDE17M(II), TSM-xxxDE17M.08(II), TSM-xxxDE17M.09(II), TSM-xxxDE17M.T0(II), TSM-xxxDE17M.T8(II), TSM-xxxDE17M.T9(II), TSM-xxxDE17M.05(II), (xxx=390-465, in steps of 5);

TSM-xxxDE08M(II), TSM-xxxDE08M.08(II), TSM-xxxDE08M.09(II), TSM-xxxDE08M.T0(II), TSM-xxxDE08M.T8(II), TSM-xxxDE08M.T9(II), TSM-xxxDE08M.05(II), (xxx=335-385, in steps of 5);

TSM-xxxDE15X(II), TSM-xxxDE15X.08(II), TSM-xxxDE15X.09(II), TSM-xxxDE15X.T0(II), TSM-xxxDE15X.T8(II), TSM-xxxDE15X.T9(II), TSM-xxxDE15X.05(II), (xxx=405-435, in steps of 5);

TSM-xxxDE06X(II), TSM-xxxDE06X.08(II), TSM-xxxDE06X.09(II), TSM-xxxDE06X.T0(II), TSM-xxxDE06X.T8(II), TSM-xxxDE06X.T9(II), TSM-xxxDE06X.05(II), (xxx=345-375, in steps of 5);

TSM-xxxNE15X(II), TSM-xxxNE15X.08(II), TSM-xxxNE15X.09(II), TSM-xxxNE15X.T8(II), TSM-xxxNE15X.T9(II), TSM-xxxNE15X.05(II), TSM-xxxNE15X.T0(II), (xxx=405-435, in steps of 5);

TSM-xxxNE06X(II), TSM-xxxNE06X.08(II), TSM-xxxNE06X.09(II), TSM-xxxNE06X.T0(II), TSM-xxxNE06X.T8(II), TSM-xxxNE06X.T9(II), TSM-xxxNE06X.05(II), (xxx=345-390, in steps of 5);

TSM-xxxPE17M, TSM-xxxPE17M.08, TSM-xxxPE17M.09, TSM-xxxPE17M(II), TSM-xxxPE17M.08(II), TSM-xxxPE17M.09(II), TSM-xxxPE17M.T0, TSM-xxxPE17M.T8, TSM-xxxPE17M.T9, TSM-xxxPE17M.T0(II), TSM-xxxPE17M.T8(II), TSM-xxxPE17M.T9(II), (xxx=320-445, in steps of 5);

TSM-xxxPE08M, TSM-xxxPE08M.08, TSM-xxxPE08M.09, TSM-xxxPE08M(II), TSM-xxxPE08M.08(II), TSM-xxxPE08M.09(II), TSM-xxxPE08M.T0, TSM-xxxPE08M.T8, TSM-xxxPE08M.T9, TSM-xxxPE08M.T0(II), TSM-xxxPE08M.T8(II), TSM-xxxPE08M.T9(II), (xxx=270-365, in steps of 5);

TSM-xxxDE18M(II), TSM-xxxDE18M.08(II), TSM-xxxDE18M.09(II), TSM-xxxDE18M.T0(II), TSM-xxxDE18M.T8(II), TSM-xxxDE18M.T9(II), TSM-xxxDE18M.05(II), TSM-xxxDE18M.B0(II), TSM-xxxDE18M.B5(II), TSM-xxxDE18M.B8(II), TSM-xxxDE18M.60(II), TSM-xxxDE18M.68(II), TSM-xxxDE18M.00S(II), TSM-xxxDE18M.08S(II), TSM-xxxDE18M.68S(II), (xxx=470-520, in steps of 5);

TSM-xxxDE17X(II), TSM-xxxDE17X.08(II), TSM-xxxDE17X.09(II), TSM-xxxDE17X.T8(II), TSM-xxxDE17X.T9(II), TSM-xxxDE17X.05(II), TSM-xxxDE17X.T0(II), (xxx=450-485, in steps of 5);

TSM-xxxDE171H(II), (xxx=315-350, in steps of 5);

TSM-xxxDE09, TSM-xxxDE09.08, TSM-xxxDE09.09, TSM-xxxDE09.05, TSM-xxxDE09.T0, TSM-xxxDE09.T8, TSM-xxxDE09.T9, TSM-xxxDE09C.05, TSM-xxxDE09C.07, TSM-xxxDE09.B0, TSM-xxxDE09.B5, TSM-xxxDE09.B8, TSM-xxxDE09.00S, TSM-xxxDE09.05S, TSM-xxxDE09.08S, (xxx=375-415, in steps of 5)

TSM-xxxNE06M(II), TSM-xxxNE06M.08(II), TSM-xxxNE06M.09(II), TSM-xxxNE06M.T0(II),
TSM-xxxNE06M.T8(II), TSM-xxxNE06M.T9(II), TSM-xxxNE06M.05(II), (xxx=315-355, in steps of 5)

TSM-xxxNE07M(II), TSM-xxxNE07M.08(II), TSM-xxxNE07M.09(II), TSM-xxxNE07M.T0(II), TSM-
xxxNE07M.T8(II), TSM-xxxNE07M.T9(II), TSM-xxxNE07M.05(II), (xxx=315-335, in steps of 5)

TSM-xxxNE15M (II), TSM-xxxNE15M.08(II), TSM-xxxNE15M.09(II), TSM-xxxNE15M.T0(II), TSM-
xxxNE15M.T8(II), TSM-xxxNE15M.T9(II), TSM-xxxNE15M.05(II), (xxx=375-430, in steps of 5)

TSM-xxxNE16M (II), TSM-xxxNE16M.08(II), TSM-xxxNE16M.09(II), TSM-xxxNE16M.T0(II), TSM-
xxxNE16M.T8(II), TSM-xxxNE16M.T9(II), TSM-xxxNE16M.05(II), (xxx=375-405, in steps of 5)

TSM-xxxDE20, TSM-xxxDE20.05, TSM-xxxDE20.08, TSM-xxxDE20.09, TSM-xxxDE20.T0,
TSM-xxxDE20.T8, TSM-xxxDE20.T9, TSM-xxxDE20.B0, TSM-xxxDE20.B5, TSM-xxxDE20.B8,
TSM-xxxDE20.60, TSM-xxxDE20.68, TSM-xxxDE20.00S, TSM-xxxDE20.60S,
TSM-xxxDE20.68S, (xxx=575-610, in steps of 5);

TSM-xxxDE19, TSM-xxxDE19.05, TSM-xxxDE19.08, TSM-xxxDE19.09, TSM-xxxDE19.T0,
TSM-xxxDE19.T8, TSM-xxxDE19.T9, TSM-xxxDE19.B0, TSM-xxxDE19.B5, TSM-xxxDE19.B8,
TSM-xxxDE19.60, TSM-xxxDE19.68, TSM-xxxDE19.00S, TSM-xxxDE19.60S, TSM-
xxxDE19.68S, (xxx=500-560, in steps of 5);

TSM-xxxDE18, TSM-xxxDE18.05, TSM-xxxDE18.08, TSM-xxxDE18.09, TSM-xxxDE18.T0,
TSM-xxxDE18.T8, TSM-xxxDE18.T9, TSM-xxxDE18.60, (xxx=515-555, in steps of 5);

TSM-xxxDE10, TSM-xxxDE10.05, TSM-xxxDE10.08, TSM-xxxDE10.09, TSM-xxxDE10.T0,
TSM-xxxDE10.T8, TSM-xxxDE10.T9, (xxx=430-455, in steps of 5);

TSM-xxxDE15V(II), TSM-xxxDE15V.08(II), TSM-xxxDE15V.09(II), TSM-xxxDE15V.T0(II), TSM-
xxxDE15V.T8(II), TSM-xxxDE15V.T9(II), TSM-xxxDE15V.05(II), (xxx=465-490, in steps of 5)

TSM-xxxDE15MB(II), TSM-xxxDE15MB.08(II), TSM-xxxDE15MB.09(II), TSM-xxxDE15MB.10(II),
TSM-xxxDE15MB.18(II), TSM-xxxDE15MB.T0(II), TSM-xxxDE15MB.T8(II), TSM-xxxDE15MB.T9(II),
TSM-xxxDE15MB.05(II), (xxx=330-420, in steps of 5)

TSM-xxxDE21, TSM-xxxDE21.05, TSM-xxxDE21.08, TSM-xxxDE21.09, TSM-xxxDE21.T0,
TSM-xxxDE21.T8, TSM-xxxDE21.T9, TSM-xxxDE21.60, TSM-xxxDE21.68, TSM-xxxDE21.00S,
TSM-xxxDE21.60S, TSM-xxxDE21.68S, (xxx=635-675, in steps of 5)

TSM-xxxDE06XC (II), TSM-xxxDE06XC.08(II), TSM-xxxDE06XC.09(II), TSM-xxxDE06XC.05(II),
TSM-xxxDE06XC.07(II), (xxx=355-380, in steps of 5)

TSM-xxxNE21, TSM-xxxNE21.05, TSM-xxxNE21.08, TSM-xxxNE21.09, TSM-xxxNE21.T0,
TSM-xxxNE21.T8, TSM-xxxNE21.T9, (xxx=645-675, in steps of 5)

TSM-xxxNE18M(II), TSM-xxxNE18M.08(II), TSM-xxxNE18M.09(II), TSM- xxxNE18M.T0(II),
TSM-xxxNE18M.T8(II), TSM-xxxNE18M.T9(II), TSM-xxxNE18M.05(II), (xxx=490-530, in steps of 5)

TSM-xxxNE20, TSM-xxxNE20.05, TSM-xxxNE20.08, TSM-xxxNE20.09, TSM-xxxNE20.T0,
TSM-xxxNE20.T8, TSM-xxxNE20.T9, (xxx=590-610, in steps of 5)

TSM-xxxNE19, TSM-xxxNE19.05, TSM-xxxNE19.08, TSM-xxxNE19.09, TSM-xxxNE19.T0,
TSM-xxxNE19.T8, TSM-xxxNE19.T9, TSM-xxxNE19C, (xxx=540-560, in steps of 5)

TSM-xxxNE09 , TSM-xxxNE09.08 , TSM-xxxNE09.09 , TSM- xxxNE09.T0 , TSM-xxxNE09.T8,
TSM-xxxNE09.T9 , TSM-xxxNE09.05, (xxx=395-420, in steps of 5)

TSM-xxxDE21F , TSM-xxxDE21F.08, TSM-xxxDE21F.09 , TSM-xxxDE21F.T0 , TSM-xxxDE21F.T8,
TSM-xxxDE21F.T9 , TSM-xxxDE21F.05 ,(xxx=550-605, in steps of 5)

TSM-xxxDE19C, TSM-xxxDE19C.08 ,(xxx=500-560, in steps of 5)

TSM-xxxDE081M(II), TSM-xxxDE081M.08(II), TSM-xxxDE081M.09(II), TSM-xxxDE081M.T0(II),
TSM-xxxDE081M.T8(II), TSM-xxxDE081M.T9(II), TSM-xxxDE081M.05(II) ,
(xxx=265-295, in steps of 5)

TSM-xxxDE061M(II), TSMxxxDE061M(II).08(II) , TSM-xxxDE061M.09(II) , TSM-xxxDE061M.T0(II) ,
TSM-xxxDE061M.T8(II) , TSM-xxxDE061M.T9(II) , TSM-xxxDE061M.05(II) , TSM-xxxDE061M.10(II),
TSM-xxxDE061M.18(II), (xxx=240-280, in steps of 5)

TSM-xxxDE151M(II) , TSM-xxxDE151M.08(II), TSM-xxxDE151M.09(II), TSM-xxxDE151M.T0(II), TSM-
xxxDE151M.T8(II) , TSM-xxxDE151M .T9(II) , TSM-xxxDE151M .05(II), (xxx=300-350, in steps of 5)

TSM-xxxDE11, TSM-xxxDE11.08 , TSM-xxxDE11.09 , TSM-xxxDE11.T0 , TSM-xxxDE11.T8 ,
TSM-xxxDE11.T9 , TSM-xxxDE11.05, TSM-xxxDE11C, TSM-xxxDE11C.05 , TSM-xxxDE11C.07,
(xxx=390-415, in steps of 5)

TSM-xxxDE09R, TSM-xxxDE09R.08, TSM-xxxDE09R.09 , TSM-xxxDE09R.T0 , TSM-xxxDE09R.T8,
TSM-xxxDE09R.T9 , TSM-xxxDE09R.05, TSM-xxxDE09R.B0, TSM-xxxDE09R.B5, TSM-xxxDE09R.B8,
TSM-xxxDE09R.00S , TSM-xxxDE09R.08S, TSM-xxxDE09R.05S , TSM-xxxDE09R.B0S , TSM-xxxDE09R.B8S ,
TSM-xxxDE09R.B5S, (xxx=395-440, in steps of 5)

TSM-xxxDE19R, TSM-xxxDE19R.08, TSM-xxxDE19R.09, TSM-xxxDE19R.T0, TSM-xxxDE19R.T8, TSM-
xxxDE19R.T9, TSM-xxxDE19R.05, TSM-xxxDE19R.00S, (xxx=550-605, in steps of 5)

TSM-xxxDE09.05W, TSM-xxxDE09.08W, (xxx=375-415, in steps of 5);

TSM-xxxDE09R.W, TSM-xxxDE09R.05W, TSM-xxxDE09R.08W, TSM-xxxDE09R.B5W,
TSM-xxxDE09R.B8W, TSM-xxxDE09R.B0W, (xxx=395-440, in steps of 5);

TSM-xxxDE18M.W(II), TSM-xxxDE18M.08W(II) , (xxx=470-520, in steps of 5);

TSM-xxxDE19.W ,(xxx=500-560, in steps of 5);

TSM-xxxDE19R.W, (xxx=550-605, in steps of 5);

TSM-xxxDE20.W, (xxx=575-610, in steps of 5);

TSM-xxxDE21.W, (xxx=635-675, in steps of 5);

➤ Backsheet Module System Voltage: 1000V DC

TSM-xxxPD14, TSM-xxxPD14.08 , TSM-xxxPD14.09, TSM-xxxPD14(II), TSM-xxxPD14.08(II), TSM-
xxxPD14.09(II) , TSM-xxxPD14.T0, TSM-xxxPD14.T8, TSM-xxxPD14.T9, TSM-xxxPD14.T0(II),
TSM-xxxPD14.T08(II), TSM-xxxPD14.T9(II) , (xxx=305-360, in steps of 5);

TSM-xxxPD15 , TSM-xxxPD15.08, TSM-xxxPD15.09, TSM-xxxPD15(II) , TSM-xxxPD15.08(II), TSM-
xxxPD15.09(II) , TSM-xxxPD15.T0 , TSM-xxxPD15.T8, TSM-xxxPD15.T9 , TSM-xxxPD15.T0(II) , TSM-
xxxPD15.T8(II) , TSM-xxxPD15.T9(II) , (xxx=305-360, in steps of 5);

Trina Solar Co. Ltd.

No 2 . Tianhe Road, Trina PV Industrial Park, New District,
Changzhou, Jiangsu, 213031, P.R. China

T: +86 519 8548 2008

F: +86 519 8517 6021

E: sales@trinasolar.com

TSM-xxxPD05, TSM-xxxPD05.08, TSM-xxxPD05.09, TSM-xxxPD05(II), TSM-xxxPD05.08(II), TSM-xxxPD05.09(II), TSM-xxxPC05A, TSM-xxxPC05A.08, TSM-xxxPD05.T0, TSM-xxxPD05.T8, TSM-xxxPD05.T9, TSM-xxxPD05.T0(II), TSM-xxxPD05.T8(II), TSM-xxxPD05.T9(II),
(xxx=255-300, in steps of 5);

TSM-xxxPD06, TSM-xxxPD06.08, TSM-xxxPD06.09, TSM-xxxPD06(II), TSM-xxxPD06.08(II), TSM-xxxPD06.09(II), TSM-xxxPC06A, TSM-xxxPC06A.08, TSM-xxxPD06.T0, TSM-xxxPD06.T8, TSM-xxxPD06.T9, TSM-xxxPD06.T0(II), TSM-xxxPD06.T8(II), TSM-xxxPD06.T9(II),
(xxx=255-300, in steps of 5);

TSM-xxxDD14A(II), TSM-xxxDD14A.08(II), TSM-xxxDD14A.09(II), TSM-xxxDD14A.05(II), TSM-xxxDD14A.T0(II), TSM-xxxDD14A.T8(II), TSM-xxxDD14A.T9(II), (xxx=330-390, in steps of 5);

TSM-xxxDD15A(II), TSM-xxxDD15A.08(II), TSM-xxxDD15A.09(II), TSM-xxxDD15A.05(II),

TSM-xxxDD15A.T0(II), TSM-xxxDD15A.T8(II), TSM-xxxDD15A.T9(II), (xxx=330-385, in steps of 5);
TSM-xxxDD05A(II), TSM-xxxDD05A.08(II), TSM-xxxDD05A.09(II), TSM-xxxDC05A.08, TSM-xxxDD05A.05(II), TSM-xxxDC05A.05(II), TSM-xxxDD05A.T0(II), TSM-xxxDD05A.T8(II),
TSM-xxxDD05A.T9(II), (xxx=275-325, in steps of 5);

TSM-xxxDD06A(II), TSM-xxxDD06A.08(II), TSM-xxxDD06A.09(II), TSM-xxxDC06A.08, TSM-xxxDD06A.05(II), TSM-xxxDC06A.05(II), TSM-xxxDD06A.T0(II), TSM-xxxDD06A.T8(II), TSM-xxxDD06A.T9(II), (xxx=275-325, in steps of 5);

TSM-xxxPD14.00U, TSM-xxxPD14.08U, TSM-xxxPD14.09U, TSM-xxxPD14.00U(II), TSM-xxxPD14.08U(II), TSM-xxxPD14.09U(II), (xxx=305-360, in steps of 5);

TSM-xxxPD05.00U, TSM-xxxPD05.08U, TSM-xxxPD05.09U, TSM-xxxPD05.00U(II), TSM-xxxPD05.08U(II), TSM-xxxPD05.09U(II), (xxx=255-300, in steps of 5);

TSM-xxxPD14B, TSM-xxxPD14B.08, TSM-xxxPD14B.09, TSM-xxxPD14B(II), TSM-xxxPD14B.08(II), TSM-xxxPD14B.09(II), TSM-xxxPD14B.T0, TSM-xxxPD14B.T8, TSM-xxxPD14B.T9, TSM-xxxPD14B.T0(II), TSM-xxxPD14B.T8(II), TSM-xxxPD14B.T9(II), (xxx=305-360, in steps of 5);

TSM-xxxPD15B, TSM-xxxPD15B.08, TSM-xxxPD15B.09, TSM-xxxPD15B(II), TSM-xxxPD15B.08(II), TSM-xxxPD15B.09(II), TSM-xxxPD15B.T0, TSM-xxxPD15B.T8, TSM-xxxPD15B.T9, TSM-xxxPD15B.T0(II), TSM-xxxPD15B.T8(II), TSM-xxxPD15B.T9(II), (xxx=305-360, in steps of 5);

TSM-xxxDD14A.00U(II), TSM-xxxDD14A.08U(II), TSM-xxxDD14A.09U(II),
(xxx=330-380, in steps of 5);

TSM-xxxDD05A.00U(II), TSM-xxxDD05A.08U(II), TSM-xxxDD05A.09U(II), (xxx=275-315, in steps of 5);

TSM-xxxDD14B(II), TSM-xxxDD14B.08(II), TSM-xxxDD14B.09(II), TSM-xxxDD14B.T0(II), TSM-xxxDD14B.T8(II), TSM-xxxDD14B.T9(II), (xxx=330-385, in steps of 5);

TSM-xxxDD15B(II), TSM-xxxDD15B.08(II), TSM-xxxDD15B.09(II), TSM-xxxDD15B.T0(II), TSM-xxxDD15B.T8(II), TSM-xxxDD15B.T9(II), (xxx=330-385, in steps of 5);

TSM-xxxPD14H, TSM-xxxPD14H.08, TSM-xxxPD14H.09, TSM-xxxPD14H(II), TSM-xxxPD14H.08(II), TSM-xxxPD14H.09(II), TSM-xxxPD14H.T0, TSM-xxxPD14H.T8, TSM-xxxPD14H.T9, TSM-xxxPD14H.T0(II), TSM-xxxPD14H.T8(II), TSM-xxxPD14H.T9(II), (xxx=320-360, in steps of 5);

TSM-xxxPD15H, TSM-xxxPD15H.08, TSM-xxxPD15H.09, TSM-xxxPD15H(II), TSM-xxxPD15H.08(II), TSM-xxxPD15H.09(II), TSM-xxxPD15H.T0, TSM-xxxPD15H.T8, TSM-xxxPD15H.T9, TSM-xxxPD15H.T0(II), TSM-xxxPD15H.T8(II), TSM-xxxPD15H.T9(II), (xxx=320-405, in steps of 5);

Trina Solar Co. Ltd.

No 2. Tianhe Road, Trina PV Industrial Park, New District,
Changzhou, Jiangsu, 213031, P.R. China

T: +86 519 8548 2008

F: +86 519 8517 6021

E: sales@trinasolar.com

TSM-xxxPD05H , TSM-xxxPD05H.08 , TSM-xxxPD05H.09 , TSM-xxxPD05H(II) , TSM-xxxPD05H.08(II) , TSM-xxxPD05H.09(II) , TSM-xxxPD05H.T0 , TSM-xxxPD05H.T8 , TSM-xxxPD05H.T9 , TSM-xxxPD05H.T0(II) , TSM-xxxPD05H.T8(II) , TSM-xxxPD05H.T9(II) , (xxx=270-300, in steps of 5);

TSM-xxxPD06H.08 , TSM-xxxPD06H.09 , TSM-xxxPD06H(II) , TSM-xxxPD06H.08(II) , TSM-xxxPD06H.09(II) , TSM-xxxPD06H.T0 , TSM-xxxPD06H.T8 , TSM-xxxPD06H.T9 , TSM-xxxPD06H.T0(II) , TSM-xxxPD06H.T8(II) , TSM-xxxPD06H.T9(II) , (xxx=270-335, in steps of 5);

TSM-xxxDD14H(II) , TSM-xxxDD14H.08(II) , TSM-xxxDD14H.09(II) , TSM-xxxDD14H.05(II) , TSM-xxxDD14H.T0(II) , TSM-xxxDD14H.T8(II) , TSM-xxxDD14H.T9(II) , (xxx=330-395, in steps of 5);

TSM-xxxDD15H(II) , TSM-xxxDD15H.08(II) , TSM-xxxDD15H.09(II) , TSM-xxxDD15H.05(II) ,

TSM-xxxDD15H.T0(II) , TSM-xxxDD15H.T8(II) , TSM-xxxDD15H.T9(II) , (xxx=330-410, in steps of 5);

TSM-xxxDD05H(II) , TSM-xxxDD05H.08(II) , TSM-xxxDD05H.09(II) , TSM-xxxDD05H.05(II) , TSM-xxxDD05H.T0(II) , TSM-xxxDD05H.T8(II) , TSM-xxxDD05H.09(II) , (xxx=275-335, in steps of 5);

TSM-xxxDD06H(II) , TSM-xxxDD06H.08(II) , TSM-xxxDD06H.09(II) , TSM-xxxDD06H.05(II) , TSM-xxxDD06H.T0(II) , TSM-xxxDD06H.T8(II) , TSM-xxxDD06H.T9(II) , (xxx=275-340, in steps of 5);

TSM-xxxPD14HB , TSM-xxxPD14HB.08 , TSM-xxxPD14HB.09 , TSM-xxxPD14HB(II) , TSM-xxxPD14HB.08(II) , TSM-xxxPD14HB.09(II) , TSM-xxxPD14HB.T0 , TSM-xxxPD14HB.T8 , TSM-xxxPD14HB.T9 , TSM-xxxPD14HB.T0(II) , TSM-xxxPD14HB.T8(II) , TSM-xxxPD14HB.T9(II) , (xxx=320-360, in steps of 5);

TSM-xxxPD15HB , TSM-xxxPD15HB.08 , TSM-xxxPD15HB.09 , TSM-xxxPD15HB(II) , TSM-xxxPD15HB.08(II) , TSM-xxxPD15HB.09(II) , TSM-xxxPD15HB.T0 , TSM-xxxPD15HB.T8 , TSM-xxxPD15HB.T9 , TSM-xxxPD15HB.T0(II) , TSM-xxxPD15HB.T8(II) , TSM-xxxPD15HB.T9(II) , (xxx=320-360, in steps of 5);

TSM-xxxPD15M , TSM-xxxPD15M.08 , TSM-xxxPD15M.09 , TSM-xxxPD15M(II) , TSM-xxxPD15M.08(II) , TSM-xxxPD15M.09(II) , TSM-xxxPD15M.T , TSM-xxxPD15M.08 , TSM-xxxPD15M.09 , TSM-xxxPD15M(II) , TSM-xxxPD15M.08(II) , TSM-xxxPD15M.09(II) , (xxx=320-405, in steps of 5);

TSM-xxxPD06M , TSM-xxxPD06M.08 , TSM-xxxPD06M.09 , TSM-xxxPD06M(II) , TSM-xxxPD06M.08(II) , TSM-xxxPD06M.09(II) , TSM-xxxPD06M.T0 , TSM-xxxPD06M.T8 , TSM-xxxPD06M.T9 , TSM-xxxPD06M.T0(II) , TSM-xxxPD06M.T8(II) , TSM-xxxPD06M.T9(II) , (xxx=270-335, in steps of 5);

TSM-xxxDD15M.08(II) , TSM-xxxDD15M.09(II) , TSM-xxxDD15M.05(II) , TSM-xxxDD15M.T0(II) , TSM-xxxDD15M.T8(II) , TSM-xxxDD15M.T9(II) , (xxx=330-420, in steps of 5);

TSM-xxxDD06M(II) , TSM-xxxDD06M.09(II) , TSM-xxxDD06M.05(II) , TSM-xxxDD06M.T0(II) , TSM-xxxDD06M.T8(II) , TSM-xxxDD06M.T9(II) , (xxx=275-350, in steps of 5);

TSM-xxxDD14HB(II) , TSM-xxxDD14HB.08(II) , TSM-xxxDD14HB.09(II) , TSM-xxxDD14HB.T0(II) , TSM-xxxDD14HB.T8(II) , TSM-xxxDD14HB.T9(II) , (xxx=330-395, in steps of 5);

TSM-xxxDD15HB(II) , TSM-xxxDD15HB.08(II) , TSM-xxxDD15HB.09(II) , TSM-xxxDD15HB.T0(II) , TSM-xxxDD15HB.T8(II) , TSM-xxxDD15HB.T9(II) , (xxx=330-410, in steps of 5);

TSM-xxxND06M(II) , TSM-xxxND06M.08(II) , TSM-xxxND06M.09(II) , TSM-xxxND06M.05(II) , TSM-xxxND06M.T0(II) , TSM-xxxND06M.T8(II) , TSM-xxxND06M.T9(II) , (xxx=315-335, in steps of 5);

TSM-xxxND07M(II) ,TSM-xxxND07M.08(II) ,TSM-xxxND07M.09(II) ,TSM-xxxND07M.05(II) ,TSM-xxxND07M.T0(II) ,TSM-xxxND07M.T8(II) ,TSM-xxxND07M.T9(II) , (xxx=315-335, in steps of 5);

TSM-xxxND15M (II) ,TSM-xxxND15M.08(II) ,TSM-xxxND15M.09(II) ,TSM-xxxND15M.T0 (II) ,TSM-xxxND15M.T8(II) ,TSM-xxxND15M.T9(II) ,TSM-xxxND15M.05(II) , (xxx=375-405, in steps of 5);

TSM-xxxND16M(II) ,TSM-xxxND16M.08(II) ,TSM-xxxND16M.09(II) ,TSM-xxxND16M.T0(II) , TSM-xxxND16M.T8(II) ,TSM-xxxND16M.T9(II) ,TSM-xxxND16M.05(II) , (xxx=375-405, in steps of 5);

TSM-xxxDD15M(II) ,(xxx=330-420, in steps of 5);

TSM-xxxDD06M.08(II) ,(xxx=275-350, in steps of 5);

TSM-xxxPD06H ,(xxx=270-335, in steps of 5);

TSM-xxxDD17M(II) ,TSM-xxxDD17M.05(II) ,TSM-xxxDD17M.08(II) ,TSM-xxxDD17M.09(II) , TSM-xxxDD17M.T0(II) ,TSM-xxxDD17M.T8(II) ,TSM-xxxDD17M.T9(II) ,(xxx=390-460, in steps of 5);

TSM-xxxDD08M(II) ,TSM-xxxDD08M.05(II) ,TSM-xxxDD08M.08(II) ,TSM-xxxDD08M.09(II) , TSM-xxxDD08M.T0(II) ,TSM-xxxDD08M.T8(II) ,TSM-xxxDD08M.T9(II) ,(xxx=335-380, in steps of 5);

TSM-xxxDD15X(II) ,TSM-xxxDD15X.05(II) ,TSM-xxxDD15X.08(II) ,TSM-xxxDD15X.09(II) ,TSM-xxxDD15X.T0(II) ,TSM-xxxDD15X.T8(II) ,TSM-xxxDD15X.T9(II) ,(xxx=405-435, in steps of 5);

TSM-xxxDD06X(II) ,TSM-xxxDD06X.05(II) ,TSM-xxxDD06X.08(II) ,TSM-xxxDD06X.09(II) ,TSM-xxxDD06X.T0(II) ,TSM-xxxDD06X.T8(II) ,TSM-xxxDD06X.T9(II) ,(xxx=345-365, in steps of 5);

TSM-xxxND15X(II) ,TSM-xxxND15X.05(II) ,TSM-xxxND15X.08(II) ,TSM-xxxND15X.09(II) ,TSM-xxxND15X.T0(II) ,TSM-xxxND15X.T8(II) ,TSM-xxxND15X.T9(II) ,(xxx=405-435, in steps of 5);

TSM-xxxND06X(II) ,TSM-xxxND06X.05(II) ,TSM-xxxND06X.08(II) ,TSM-xxxND06X.09(II) ,TSM-xxxND06X.T0(II) ,TSM-xxxND06X.T8(II) ,TSM-xxxND06X.T9(II) ,(xxx=345-365, in steps of 5);

TSM-xxxPD17M ,TSM-xxxPD17M.08 ,TSM-xxxPD17M.09 ,TSM-xxxPD17M(II) ,TSM-xxxPD17M.08(II) , TSM-xxxPD17M.09(II) ,TSM-xxxPD17M.T0 ,TSM-xxxPD17M.T8 ,TSM-xxxPD17M.T9 , TSM-xxxPD17M.T0(II) ,TSM-xxxPD17M.T8(II) ,TSM-xxxPD17M.T9(II) ,(xxx=320-445, in steps of 5);

TSM-xxxPD08M ,TSM-xxxPD08M.08 ,TSM-xxxPD08M.09 ,TSM-xxxPD08M(II) ,TSM-xxxPD08M.08(II) , TSM-xxxPD08M.09(II) ,TSM-xxxPD08M.T0 ,TSM-xxxPD08M.T8 ,TSM-xxxPD08M.T9 ,TSM-xxxPD08M.T0(II) ,TSM-xxxPD08M.T8(II) ,TSM-xxxPD08M.T9(II) ,(xxx=270-365, in steps of 5);

TSM-xxxDD18M(II) ,TSM-xxxDD18M.08(II) ,TSM-xxxDD18M.09(II) ,TSM-xxxDD18M.T0(II) , TSM-xxxDD18M.T8(II) , TSM-xxxDD18M.T9(II) ,TSM-xxxDD18M.05(II) ,(xxx=470-515, in steps of 5);

TSM-xxxDC082H.08(II) ,(xxx=210-225, in steps of 5);

TSM-xxxDD20 ,TSM-xxxDD20.05 ,TSM-xxxDD20.08 ,TSM-xxxDD20.09 ,TSM-xxxDD20.T0 , TSM-xxxDD20.T8 ,TSM-xxxDD20.T9 ,(xxx=575-610, in steps of 5);

TSM-xxxDD19 ,TSM-xxxDD19.05 ,TSM-xxxDD19.08 ,TSM-xxxDD19.09 ,TSM-xxxDD19.T0 , TSM-xxxDD19.T8 ,TSM-xxxDD19.T9 ,(xxx=530-555, in steps of 5);

TSM-xxxDD18 ,TSM-xxxDD18.05 ,TSM-xxxDD18.08 ,TSM-xxxDD18.09 ,TSM-xxxDD18.T0 , TSM-xxxDD18.T8 ,TSM-xxxDD18.T9 ,(xxx=515-555, in steps of 5);

TSM-xxxDD10, TSM-xxxDD10.05, TSM-xxxDD10.08, TSM-xxxDD10.09, TSM-xxxDD10.T0,
TSM-xxxDD10.T8 ,TSM-xxxDD10.T9, (xxx=430-455, in steps of 5);

➤ **Double Glass Module: System Voltage: 1500V DC**

TSM-xxxDEG14(II), TSM-xxxDEG14.05(II), TSM-xxxDEG14.25(II), TSM-xxxDEG14.07(II), TSM-
xxxDEG14.20(II), TSM-xxxDEG14.27(II) , TSM-xxxDEG14.28(II), TSM-xxxDEG14.29(II), TSM-
xxxDEG14.40(II), TSM-xxxDEG14.47(II) (xxx=330-390, in steps of 5).

TSM-xxxDEG5(II), TSM-xxxDEG5.05(II), TSM-xxxDEG5.25(II), TSM-xxxDEG5.07(II), TSM-xxxDEG5.20(II),
TSM-xxxDEG5.27(II), TSM-xxxDEG5.28(II), TSM-xxxDEG5.29(II), TSM-xxxDEG5.40(II),
TSM-xxxDEG5.47(II) (xxx=275-325, in steps of 5).

TSM-xxxDEG15(II), TSM-xxxDEG15.05(II), TSM-xxxDEG15.25(II), TSM-xxxDEG15.07(II),
TSM-xxxDEG15.20(II), TSM-xxxDEG15.27(II), TSM-xxxDEG15.28(II), TSM-xxxDEG15.29(II),
TSM-xxxDEG15.40(II), TSM-xxxDEG15.47(II) (xxx=330-380, in steps of 5).

TSM-xxxDEG6(II), TSM-xxxDEG6.05(II), TSM-xxxDEG6.25(II), TSM-xxxDEG6.07(II), TSM-xxxDEG6.20(II),
TSM-xxxDEG6.27(II), TSM-xxxDEG6.28(II), TSM-xxxDEG6.29(II), TSM-xxxDEG6.40(II), TSM-xxxDEG6.47(II)
(xxx=275-315, in steps of 5).

TSM-xxxDEG14C(II), TSM-xxxDEG14C.05(II), TSM-xxxDEG14C.25(II), TSM-xxxDEG14C.07(II),
TSM-xxxDEG14C.20(II), TSM-xxxDEG14C.27(II), TSM-xxxDEG14C.28(II), TSM-xxxDEG14C.29(II)
(xxx=335-370, in steps of 5).

TSM-xxxDEG5C(II), TSM-xxxDEG5C.05(II), TSM-xxxDEG5C.25(II), TSM-xxxDEG5C.07(II),
TSM-xxxDEG5C.20(II), TSM-xxxDEG5C.27(II), TSM-xxxDEG5C.28(II), TSM-xxxDEG5C.29(II)
(xxx=285-305, in steps of 5).

TSM-xxxDEG15C(II), TSM-xxxDEG15C.05(II), TSM-xxxDEG15C.25(II), TSM-xxxDEG15C.07(II),
TSM-xxxDEG15C.20(II), TSM-xxxDEG15C.27(II), TSM-xxxDEG15C.28(II), TSM-xxxDEG15C.29(II)
(xxx=335-350, in steps of 5).

TSM-xxxDEG6C(II), TSM-xxxDEG6C.05(II), TSM-xxxDEG6C.25(II), TSM-xxxDEG6C.07(II),
TSM-xxxDEG6C.20(II), TSM-xxxDEG6C.27(II), TSM-xxxDEG6C.28(II), TSM-xxxDEG6C.29(II)
(xxx=285-295, in steps of 5).

TSM-xxxDEG14H(II), TSM-xxxDEG14H.05(II), TSM-xxxDEG14H.25(II), TSM-xxxDEG14H.07(II),
TSM-xxxDEG14H.20(II), TSM-xxxDEG14H.27(II), TSM-xxxDEG14H.28(II), TSM-xxxDEG14H.29(II),
TSM-xxxDEG14H.40(II), TSM-xxxDEG14H.47(II) (xxx=345-395, in steps of 5).

TSM-xxxDEG5H(II), TSM-xxxDEG5H.05(II), TSM-xxxDEG5H.25(II), TSM-xxxDEG5H.07(II),
TSM-xxxDEG5H.20(II), TSM-xxxDEG5H.27(II), TSM-xxxDEG5H.28(II), TSM-xxxDEG5H.29(II),
TSM-xxxDEG5H.40(II), TSM-xxxDEG5H.47(II) (xxx=290-330, in steps of 5).

TSM-xxxDEG15H(II), TSM-xxxDEG15H.05(II), TSM-xxxDEG15H.25(II), TSM-xxxDEG15H.07(II),
TSM-xxxDEG15H.20(II), TSM-xxxDEG15H.27(II), TSM-xxxDEG15H.28(II), TSM-xxxDEG15H.29(II),
TSM-xxxDEG15H.40(II), TSM-xxxDEG15H.47(II) (xxx=380-410, in steps of 5).

TSM-xxxDEG6H(II), TSM-xxxDEG6H.05(II), TSM-xxxDEG6H.25(II), TSM-xxxDEG6H.07(II),
TSM-xxxDEG6H.20(II), TSM-xxxDEG6H.27(II), TSM-xxxDEG6H.28(II), TSM-xxxDEG6H.29(II),
TSM-xxxDEG6H.40(II), TSM-xxxDEG6H.47(II) (xxx=310-340, in steps of 5).

TSM-xxxDEG14M(II), TSM-xxxDEG14M.05(II), TSM-xxxDEG14M.25(II), TSM-xxxDEG14M.07(II),
TSM-xxxDEG14M.20(II), TSM-xxxDEG14M.27(II), TSM-xxxDEG14M.28(II), TSM-xxxDEG14M.29(II),
TSM-xxxDEG14M.40(II), TSM-xxxDEG14M.47(II) (xxx=345-385, in steps of 5).

TSM-xxxDEG5M(II), TSM-xxxDEG5M.05(II), TSM-xxxDEG5M.25(II), TSM-xxxDEG5M.07(II),
TSM-xxxDEG5M.20(II), TSM-xxxDEG5M.27(II), TSM-xxxDEG5M.28(II), TSM-xxxDEG5M.29(II),
TSM-xxxDEG5M.40(II), TSM-xxxDEG5M.47(II) (xxx=290-320, in steps of 5).

TSM-xxxDEG15M(II), TSM-xxxDEG15M.07(II), TSM-xxxDEG15M.25(II), TSM-xxxDEG15M.07(II),
TSM-xxxDEG15M.20(II), TSM-xxxDEG15M.27(II), TSM-xxxDEG15M.28(II), TSM-xxxDEG15M.29(II),
TSM-xxxDEG15M.40(II), TSM-xxxDEG15M.47(II) (xxx=350-420, in steps of 5).

TSM-xxxDEG6M(II), TSM-xxxDEG6M.05(II), TSM-xxxDEG6M.25(II), TSM-xxxDEG6M.07(II),
TSM-xxxDEG6M.20(II), TSM-xxxDEG6M.27(II), TSM-xxxDEG6M.28(II), TSM-xxxDEG6M.29(II),
TSM-xxxDEG6M.40(II), TSM-xxxDEG6M.47(II) (xxx=295-350, in steps of 5).

TSM-xxxDEG17M(II), TSM-xxxDEG17M.07(II), TSM-xxxDEG17M.25(II), TSM-xxxDEG17M.07(II),
TSM-xxxDEG17M.20(II), TSM-xxxDEG17M.27(II), TSM-xxxDEG17M.28(II), TSM-xxxDEG17M.29(II),
TSM-xxxDEG17M.40(II), TSM-xxxDEG17M.47(II) (xxx=425-460, in steps of 5).

TSM-xxxDEG8M(II), TSM-xxxDEG8M.05(II), TSM-xxxDEG8M.25(II), TSM-xxxDEG8M.07(II),
TSM-xxxDEG8M.20(II), TSM-xxxDEG8M.27(II), TSM-xxxDEG8M.28(II), TSM-xxxDEG8M.29(II),
TSM-xxxDEG8M.40(II), TSM-xxxDEG8M.47(II) (xxx=355-380, in steps of 5).

TSM-xxxDEG14HC(II), TSM-xxxDEG14HC.05(II), TSM-xxxDEG14HC.25(II), TSM-xxxDEG14HC.07(II),
TSM-xxxDEG14HC.20(II), TSM-xxxDEG14HC.27(II), TSM-xxxDEG14HC.28(II), TSM-xxxDEG14HC.29(II),
(xxx=350-395, in steps of 5).

TSM-xxxDEG5HC(II), TSM-xxxDEG5HC.05(II), TSM-xxxDEG5HC.25(II), TSM-xxxDEG5HC.07(II),
TSM-xxxDEG5HC.20(II), TSM-xxxDEG5HC.27(II), TSM-xxxDEG5HC.28(II), TSM-xxxDEG5HC.29(II),
(xxx=295-330, in steps of 5).

TSM-xxxDEG15HC(II), TSM-xxxDEG15HC.05(II), TSM-xxxDEG15HC.25(II), TSM-xxxDEG15HC.07(II),
TSM-xxxDEG15HC.20(II), TSM-xxxDEG15HC.27(II), TSM-xxxDEG15HC.28(II), TSM-xxxDEG15HC.29(II) ,
(xxx=350-410, in steps of 5).

TSM-xxxDEG6HC(II), TSM-xxxDEG15HC.05(II), TSM-xxxDEG15HC.25(II), TSM-xxxDEG6HC.07(II),
TSM-xxxDEG6HC.20(II), TSM-xxxDEG6HC.27(II), TSM-xxxDEG6HC.28(II), TSM-xxxDEG6HC.29(II)
(xxx=295-340, in steps of 5).

TSM-xxxDEG14MC(II), TSM-xxxDEG14MC.05(II), TSM-xxxDEG14MC.25(II), TSM-xxxDEG14MC.07(II),
TSM-xxxDEG14MC.20(II), TSM-xxxDEG14HMC.20(II), TSM-xxxDEG14MC.27(II), TSM-xxxDEG14MC.28(II),
TSM-xxxDEG14MC.29(II) (xxx=350-395, in steps of 5).

TSM-xxxDEG5MC(II), TSM-xxxDEG5MC.05(II), TSM-xxxDEG5MC.25(II), TSM-xxxDEG5MC.07(II),
TSM-xxxDEG5MC.20(II), TSM-xxxDEG5MC.27(II), TSM-xxxDEG5MC.28(II), TSM-xxxDEG5MC.29(II) ,
(xxx=295-330, in steps of 5).

TSM-xxxDEG15MC(II), TSM-xxxDEG15MC.05(II), TSM-xxxDEG15MC.25(II), TSM-xxxDEG15MC.07(II),
TSM-xxxDEG15MC.20(II), TSM-xxxDEG15MC.27(II), TSM-xxxDEG15MC.28(II),
TSM-xxxDEG15MC.29(II) , (xxx=350-425, in steps of 5).

TSM-xxxDEG6MC(II), TSM-xxxDEG6MC.05(II), TSM-xxxDEG6MC.25(II), TSM-xxxDEG6MC.07(II),
TSM-xxxDEG6MC.20(II), TSM-xxxDEG6MC.27(II), TSM-xxxDEG6MC.28(II), TSM-xxxDEG6MC.29(II),
(xxx=295-350, in steps of 5).

TSM-xxxDEG17MC(II), TSM-xxxDEG17MC.05(II), TSM-xxxDEG17MC.25(II), TSM-xxxDEG17MC.07(II),
TSM-xxxDEG17MC.20(II), TSM-xxxDEG17MC.27(II), TSM-xxxDEG17MC.28(II), TSM-xxxDEG17MC.29(II),
(xxx=425-460, in steps of 5).

TSM-xxxDEG8MC(II), TSM-xxxDEG8MC.05(II), TSM-xxxDEG8MC.25(II), TSM-xxxDEG8MC.07(II),
TSM-xxxDEG8MC.20(II), TSM-xxxDEG8MC.27(II), TSM-xxxDEG8MC.28(II), TSM-xxxDEG8MC.29(II),
(xxx=355-380, in steps of 5)

TSM-xxxDEG18MC(II), TSM-xxxDEG18MC.05(II), TSM-xxxDEG18MC.25(II), TSM-xxxDEG18MC.07(II),
TSM-xxxDEG18MC.20(II), TSM-xxxDEG18MC.27(II), TSM-xxxDEG18MC.28(II), TSM-xxxDEG18MC.29(II) ,
(xxx=460-510, in steps of 5).

TSM-xxxDEG9C.20, TSM-xxxDEG9C.25, TSM-xxxDEG9C.27, TSM-xxxDEG9C.28, TSM-xxxDEG9C.29,
(xxx=370-405, in steps of 5).

TSM-xxxDEG18M(II), TSM-xxxDEG18M.05(II), TSM-xxxDEG18M.25(II), TSM-xxxDEG18M.07(II),
TSM-xxxDEG18M.20(II), TSM-xxxDEG18M.27(II), TSM-xxxDEG18M.28(II),

TSM-xxxDEG18M.29(II), (xxx=460-510, in steps of 5).

TSM-xxxDEG9.20, TSM-xxxDEG9.25, TSM-xxxDEG9.27, TSM-xxxDEG9.28, TSM-xxxDEG9.29
(xxx=370-405, in steps of 5).

TSM-xxxDEG17XC.25(II), TSM-xxxDEG17XC.20(II), TSM-xxxDEG17XC.27(II), TSM-xxxDEG17XC.28(II),
TSM-xxxDEG17XC.29(II), (xxx=445-490, in steps of 5).

TSM-xxxDEG17X.25(II), TSM-xxxDEG17X.20(II), TSM-xxxDEG17X.27(II), TSM-xxxDEG17X.28(II),
TSM-xxxDEG17X.29(II) , (xxx=445-490, in steps of 5).

TSM-xxxDEG21C.20, TSM-xxxDEG21C.25, TSM-xxxDEG21C.27, TSM-xxxDEG21C.28,
TSM-xxxDEG21C.29 ,(xxx=625-675, in steps of 5).

TSM-xxxDEG20C.20, TSM-xxxDEG20C.25, TSM-xxxDEG20C.27, TSM-xxxDEG20C.28,
TSM-xxxDEG20C.29, (xxx=570-605, in steps of 5);

TSM-xxxDEG19C.20, TSM-xxxDEG19C.25, TSM-xxxDEG19C.27, TSM-xxxDEG19C.28,
TSM-xxxDEG19C.29 (xxx=525-555, in steps of 5);

TSM-xxxDEG20.20, TSM-xxxDEG20.25, TSM-xxxDEG20.27, TSM-xxxDEG20.28, TSM-xxxDEG20.29,
(xxx=575-605, in steps of 5);

TSM-xxxDEG19.20, TSM-xxxDEG19.25, TSM-xxxDEG19.27, TSM-xxxDEG19.28, TSM-xxxDEG19.29,
(xxx=525-555, in steps of 5), (xxx=525-555, in steps of 5);

TSM-xxxDEG18C.20, TSM-xxxDEG18C.25, TSM-xxxDEG18C.27, TSM-xxxDEG18C.28,
TSM-xxxDEG18C.29, (xxx=520-555, in steps of 5);

TSM-xxxDEG10C.20, TSM-xxxDEG10C.25, TSM-xxxDEG10C.27, TSM-xxxDEG10C.28, TSM-
xxxDEG10C.29, (xxx=425-450, in steps of 5);

TSM-xxxDEG18.20, TSM-xxxDEG18.25, TSM-xxxDEG18.27, TSM-xxxDEG18.28, TSM-xxxDEG18.29 ,
(xxx=520-555, in steps of 5);

TSM-xxxDEG10.20, TSM-xxxDEG10.25, TSM-xxxDEG10.27, TSM-xxxDEG10.28,
TSM-xxxDEG10.29,(xxx=425-450, in steps of 5);

TSM-xxxDEG19RC.20, TSM-xxxDEG19RC.25, TSM-xxxDEG19RC.27, TSM-xxxDEG19RC.28,
TSM-xxxDEG19RC.29 (xxx=540-590, in steps of 5)

TSM-xxxDEG19RC.B0, TSM-xxxDEG19RC.B5, TSM-xxxDEG19RC.B7, TSM-xxxDEG19RC.B8,
TSM-xxxDEG19RC.B9 (xxx=540-590, in steps of 5)

TSM-xxxDEG19R.20, TSM-xxxDEG19R.25, TSM-xxxDEG19R.27, TSM-xxxDEG19R.28,
TSM-xxxDEG19R.29 (xxx=540-590, in steps of 5)

TSM-xxxDEG19R.B0, TSM-xxxDEG19R.B5, TSM-xxxDEG19R.B7, TSM-xxxDEG19R.B8,
TSM-xxxDEG19R.B9 (xxx=540-590, in steps of 5)

TSM-xxxDEG9RC.B0, TSM-xxxDEG9RC.B5, TSM-xxxDEG9RC.B7, TSM-xxxDEG9RC.B8,
TSM-xxxDEG9RC.B9 (xxx=395-435, in steps of 5)

TSM-xxxDEG9RC.20, TSM-xxxDEG9RC.25, TSM-xxxDEG9RC.27, TSM-xxxDEG9RC.28,
TSM-xxxDEG9RC.29 (xxx=395-435, in steps of 5)

TSM-xxxDEG9R.B0, TSM-xxxDEG9R.B5, TSM-xxxDEG9R.B7, TSM-xxxDEG9R.B8,
TSM-xxxDEG9R.B9, (xxx=395-435, in steps of 5)

TSM-xxxDEG9R.20, TSM-xxxDEG9R.25, TSM-xxxDEG9R.27, TSM-xxxDEG9R.28,
TSM-xxxDEG9R.29, (xxx=395-435, in steps of 5)

TSM-xxxDEG15VC.20(II), TSM-xxxDEG15VC.25(II), TSM-xxxDEG15VC.27(II),
TSM-xxxDEG15VC.28(II), TSM-xxxDEG15VC.29(II) ,(xxx=465-490, in steps of 5).

TSM-xxxNEG14C(II), TSM-xxxNEG14C.05(II), TSM-xxxNEG14C.25(II), TSM-xxxNEG14C.07(II),
TSM-xxxNEG14C.20(II), TSM-xxxNEG14C.27(II), TSM-xxxNEG14C.28(II), TSM-xxxNEG14C.29(II),
(xxx=350-370, in steps of 5).

TSM-xxxNEG5C(II), TSM-xxxNEG5C.05(II), TSM-xxxNEG5C.25(II), TSM-xxxNEG5C.07(II),
TSM-xxxNEG5C.20(II), TSM-xxxNEG5C.27(II), TSM-xxxNEG5C.28(II), TSM-xxxNEG5C.29(II)
(xxx=295-305, in steps of 5).

TSM-xxxNEG15C(II), TSM-xxxNEG15C.05(II), TSM-xxxNEG15C.25(II), TSM-xxxNEG15C.07(II),
TSM-xxxNEG15C.20(II), TSM-xxxNEG15C.27(II), TSM-xxxNEG15C.28(II), TSM-xxxNEG15C.29(II) ,
(xxx=350-370, in steps of 5).

TSM-xxxNEG6C(II), TSM-xxxNEG6C.05(II), TSM-xxxNEG6C.25(II), TSM-xxxNEG6C.07(II),
TSM-xxxNEG6C.20(II), TSM-xxxNEG6C.27(II), TSM-xxxNEG6C.28(II), TSM-xxxNEG6C.29(II)
(xxx=295-305, in steps of 5)

TSM-xxxNEG16C(II), TSM-xxxNEG16C.05(II), TSM-xxxNEG16C.25(II), TSM-xxxNEG16C.07(II),
TSM-xxxNEG16C.20(II), TSM-xxxNEG16C.27(II), TSM-xxxNEG16C.28(II), TSM-xxxNEG16C.29(II)
(xxx=350-410, in steps of 5).

TSM-xxxNEG7C(II), TSM-xxxNEG7C.05(II), TSM-xxxNEG7C.25(II), TSM-xxxNEG7C.07(II),
TSM-xxxNEG7C.20(II), TSM-xxxNEG7C.27(II), TSM-xxxNEG7C.28(II), TSM-xxxNEG7C.29(II)
(xxx=295-340, in steps of 5).

TSM-xxxNEG14MC(II), TSM-xxxNEG14MC.05(II), TSM-xxxNEG14MC.25(II), TSM-xxxNEG14MC.07(II),
TSM-xxxNEG14MC.20(II), TSM-xxxNEG14MC.27(II), TSM-xxxNEG14MC.28(II),
TSM-xxxNEG14MC.29(II) (xxx=350-380, in steps of 5).

TSM-xxxNEG5MC(II), TSM-xxxNEG5MC.05(II), TSM-xxxNEG5MC.25(II), TSM-xxxNEG5MC.07(II),
TSM-xxxNEG5MC.20(II), TSM-xxxNEG5MC.27(II), TSM-xxxNEG5MC.28(II), TSM-xxxNEG5MC.29(II) ,
(xxx=295-315, in steps of 5).

TSM-xxxNEG15MC(II), TSM-xxxNEG15MC.05(II), TSM-xxxNEG15MC.25(II), TSM-xxxNEG15MC.07(II),
TSM-xxxNEG15MC.20(II), TSM-xxxNEG15MC.27(II), TSM-xxxNEG15MC.28(II), TSM-xxxNEG15MC.29(II) ,
(xxx=350-420, in steps of 5).

TSM-xxxNEG6MC(II), TSM-xxxNEG6MC.05(II), TSM-xxxNEG6MC.25(II), TSM-xxxNEG6MC.07(II),
TSM-xxxNEG6MC.20(II), TSM-xxxNEG6MC.27(II), TSM-xxxNEG6MC.28(II), TSM-xxxNEG6MC.29(II),
(xxx=295-345, in steps of 5).

TSM-xxxNEG15M(II), TSM-xxxNEG15M.05(II), TSM-xxxNEG15M.25(II), TSM-xxxNEG15M.07(II),
TSM-xxxNEG15M.20(II), TSM-xxxNEG15M.27(II), TSM-xxxNEG15M.28(II),
TSM-xxxNEG15M.29(II) (xxx=350-420, in steps of 5).

TSM-xxxNEG6M(II), TSM-xxxNEG6M.05(II), TSM-xxxNEG6M.25(II), TSM-xxxNEG6M.07(II),
TSM-xxxNEG6M.20(II), TSM-xxxNEG6M.27(II), TSM-xxxNEG6M.28(II), TSM-xxxNEG6M.29(II) ,
(xxx=295-345, in steps of 5).

TSM-xxxNEG16MC(II), TSM-xxxNEG16MC.05(II), TSM-xxxNEG16MC.25(II), TSM-xxxNEG16MC.07(II),
TSM-xxxNEG16MC.20(II), TSM-xxxNEG16MC.27(II), TSM-xxxNEG16MC.28(II), TSM-xxxNEG16MC.29(II),
(xxx=390-435, in steps of 5).

TSM-xxxNEG7MC(II), TSM-xxxNEG7MC.05(II), TSM-xxxNEG7MC.25(II), TSM-xxxNEG7MC.07(II),
TSM-xxxNEG7MC.20(II), TSM-xxxNEG7MC.27(II), TSM-xxxNEG7MC.28(II), TSM-xxxNEG7MC.29(II),
(xxx=325-360, in steps of 5).

TSM-xxxNEG16M(II), TSM-xxxNEG16M.05(II), TSM-xxxNEG16M.25(II), TSM-xxxNEG16M.07(II),
TSM-xxxNEG16M.20(II), TSM-xxxNEG16M.27(II), TSM-xxxNEG16M.28(II), TSM-xxxNEG16M.29(II) ,
(xxx=390-435, in steps of 5).

TSM-xxxNEG7M(II), TSM-xxxNEG7M.05(II), TSM-xxxNEG7M.25(II), TSM-xxxNEG7M.07(II),
TSM-xxxNEG7M.20(II), TSM-xxxNEG7M.27(II), TSM-xxxNEG7M.28(II), TSM-xxxNEG7M.29(II)
(xxx=325-360, in steps of 5).

TSM-xxxNEG15XC(II), TSM-xxxNEG15XC.05(II), TSM-xxxNEG15XC.25(II), TSM-xxxNEG15XC.07(II),
TSM-xxxNEG15XC.20(II), TSM-xxxNEG15XC.27(II), TSM-xxxNEG15XC.28(II), TSM-xxxNEG15XC.29(II)
(xxx=425-445, in steps of 5).

TSM-xxxDEG5ZV(II), TSM-xxxDEG5ZV.05(II), TSM-xxxDEG5ZV.07(II), TSM-xxxDEG5ZV.40(II),
TSM-xxxDEG5ZV.47(II), (xxx=305-330, in steps of 5).

TSM-xxxNEG18MC.20(II), TSM-xxxNEG18MC.25(II), TSM-xxxNEG18MC.27(II), TSM-xxxNEG18MC.28(II),
TSM-xxxNEG18MC.29(II), TSM-xxxNEG18MC.30(II), (xxx=500-520, in steps of 5)

TSM-xxxNEG9C.20, TSM-xxxNEG9C.25, TSM-xxxNEG9C.27, TSM-xxxNEG9C.28, TSM-xxxNEG9C.29,
(xxx=390-430, in steps of 5)

TSM-xxxNEG9.20, TSM-xxxNEG9.25, TSM-xxxNEG9.27, **TSM-xxxNEG9.28**, TSM-xxxNEG9.29,
(xxx=390-430, in steps of 5)

TSM-xxxNEG20C.20, TSM-xxxNEG20C.25, TSM-xxxNEG20C.27, TSM-xxxNEG20C.28,
TSM-xxxNEG20C.29 ,(xxx=580-625, in steps of 5)

TSM-xxxNEG19C.20, TSM-xxxNEG19C.25, TSM-xxxNEG19C.27, TSM-xxxNEG19C.28,
TSM-xxxNEG19C.29, (xxx=530-570, in steps of 5)

TSM-xxxNEG21C.20, TSM-xxxNEG21C.25, TSM-xxxNEG21C.27, TSM-xxxNEG21C.28,
TSM-xxxNEG21C.29, (xxx=635-690, in steps of 5)

TSM-xxxHEG15XKC.203, TSM-xxxHEG15XKC.253, TSM-xxxHEG15XKC.273, TSM-xxxHEG15XKC.283,
TSM-xxxHEG15XKC.293, (xxx=435-455, in steps of 5)

TSM-xxxHEG15VKC.20, TSM-xxxHEG15VKC.25, TSM-xxxHEG15VKC.27, TSM-xxxHEG15VKC.28,
TSM-xxxHEG15VKC.29, (xxx=475-485, in steps of 5)

TSM-xxxHEG15YKC.20, TSM-xxxHEG15YKC.25, TSM-xxxHEG15YKC.27, TSM-xxxHEG15YKC.28, TSM-xxxHEG15YKC.29, (xxx=515-530, in steps of 5)

TSM-xxxHEG6XKC.20, TSM-xxxHEG6XKC.25, TSM-xxxHEG6XKC.27, TSM-xxxHEG6XKC.28, TSM-xxxHEG6XKC.29, (xxx=370-375, in steps of 5)

TSM-xxxHEG15XC.20, TSM-xxxHEG15XC.25, TSM-xxxHEG15XC.27, TSM-xxxHEG15XC.28, TSM-xxxHEG15XC.29, (xxx=440-460, in steps of 5)

TSM-xxxHEG15C.20, TSM-xxxHEG15C.25, TSM-xxxHEG15C.27, TSM-xxxHEG15C.28,

TSM-xxxHEG15C.29, (xxx=410-425, in steps of 5).

TSM-xxxHEG6C.20, TSM-xxxHEG6C.25, TSM-xxxHEG6C.27, TSM-xxxHEG6C.28, TSM-xxxHEG6C.29, (xxx=340-350, in steps of 5)

TSM-xxxHEG21C.20, TSM-xxxHEG21C.25, TSM-xxxHEG21C.27, TSM-xxxHEG21C.28, TSM-xxxHEG21C.29, (xxx=640-685, in steps of 5)

TSM-xxxHEG20C.20, TSM-xxxHEG20C.25, TSM-xxxHEG20C.27, TSM-xxxHEG20C.28, TSM-xxxHEG20C.29 (xxx=585-620, in steps of 5)

TSM-xxxHEG19C.20, TSM-xxxHEG19C.25, TSM-xxxHEG19C.27, TSM-xxxHEG19C.28, TSM-xxxHEG19C.29, (xxx=530-565, in steps of 5)

TSM-xxxPEG14, TSM-xxxPEG14.05, TSM-xxxPEG14.25, TSM-xxxPEG14.07, TSM-xxxPEG14.20, TSM-xxxPEG14.27, TSM-xxxPEG14.28, TSM-xxxPEG14.29, TSM-xxxPEG14.40, TSM-xxxPEG14.47 (xxx=315-360, in steps of 5);

TSM-xxxPEG14(II), TSM-xxxPEG14.05(II), TSM-xxxPEG14.25(II), TSM-xxxPEG14.07(II), TSM-xxxPEG14.20(II), TSM-xxxPEG14.27(II), TSM-xxxPEG14.28(II), TSM-xxxPEG14.29(II), TSM-xxxPEG14.40(II) TSM-xxxPEG14.47(II) (xxx=315-360, in steps of 5).

TSM-xxxPEG5, TSM-xxxPEG5.05, TSM-xxxPEG5.25, TSM-xxxPEG5.07, TSM-xxxPEG5.20, TSM-xxxPEG5.27, TSM-xxxPEG5.28, TSM-xxxPEG5.29, TSM-xxxPEG5.40, TSM-xxxPEG5.47, (xxx=265-300, in steps of 5);

TSM-xxxPEG5(II), TSM-xxxPEG5.05(II), TSM-xxxPEG5.25(II), TSM-xxxPEG5.07(II), TSM-xxxPEG5.20(II), TSM-xxxPEG5.27(II), TSM-xxxPEG5.28(II), TSM-xxxPEG5.29(II), TSM-xxxPEG5.40(II), TSM-xxxPEG5.47(II), (xxx=265-300, in steps of 5).

TSM-xxxPEG15, TSM-xxxPEG15.05, TSM-xxxPEG15.25, TSM-xxxPEG15.07, TSM-xxxPEG15.20, TSM-xxxPEG15.27, TSM-xxxPEG15.28, TSM-xxxPEG15.29, TSM-xxxPEG15.40, TSM-xxxPEG15.47, (xxx=315-360, in steps of 5);

TSM-xxxPEG15(II), TSM-xxxPEG15.05(II), TSM-xxxPEG15.25(II), TSM-xxxPEG15.07(II), TSM-xxxPEG15.20(II), TSM-xxxPEG15.27(II), TSM-xxxPEG15.28(II), TSM-xxxPEG15.29(II), TSM-xxxPEG15.40(II), TSM-xxxPEG15.47(II), (xxx=315-360, in steps of 5).

TSM-xxxPEG6, TSM-xxxPEG6.05, TSM-xxxPEG6.25, TSM-xxxPEG6.07, TSM-xxxPEG6.20, TSM-xxxPEG6.27, TSM-xxxPEG6.28, TSM-xxxPEG6.29, TSM-xxxPEG6.40, TSM-xxxPEG6.47, (xxx=265-300, in steps of 5);

TSM-xxxPEG6(II), TSM-xxxPEG6.05(II), TSM-xxxPEG6.25(II), TSM-xxxPEG6.07(II), TSM-xxxPEG6.20(II), TSM-xxxPEG6.27(II), TSM-xxxPEG6.28(II), TSM-xxxPEG6.29(II), TSM-xxxPEG6.40(II), TSM-xxxPEG6.47(II), (xxx=265-300, in steps of 5).

TSM-xxxPEG14H, TSM-xxxPEG14H.05, TSM-xxxPEG14H.25, TSM-xxxPEG14H.07, TSM-xxxPEG14H.20, TSM-xxxPEG14H.27, TSM-xxxPEG14H.28, TSM-xxxPEG14H.29, TSM-xxxPEG14H.40, TSM-xxxPEG14H.47, (xxx=330-360, in steps of 5);

Trina Solar Co. Ltd.

No 2 . Tianhe Road, Trina PV Industrial Park, New District, Changzhou, Jiangsu, 213031, P.R. China

T: +86 519 8548 2008

F: +86 519 8517 6021

E: sales@trinasolar.com

TSM-xxxPEG14H(II), TSM-xxxPEG14H.05(II), TSM-xxxPEG14H.25(II), TSM-xxxPEG14H.07(II),
TSM-xxxPEG14H.20(II), TSM-xxxPEG14H.27(II), TSM-xxxPEG14H.28(II), TSM-xxxPEG14H.29(II),

TSM-xxxPEG14H.40(II), TSM-xxxPEG14H.47(II), (xxx=330-360, in steps of 5).

TSM-xxxPEG5H, TSM-xxxPEG5H.05, TSM-xxxPEG5H.25, TSM-xxxPEG5H.07, TSM-xxxPEG5H.20,
TSM-xxxPEG5H.27, TSM-xxxPEG5H.28, TSM-xxxPEG5H.29, TSM-xxxPEG5H.40, TSM-xxxPEG5H.47,
(xxx=275-300, in steps of 5);

TSM-xxxPEG5H(II), TSM-xxxPEG5H.05(II), TSM-xxxPEG5H.25(II), TSM-xxxPEG5H.07(II),
TSM-xxxPEG5H.20(II), TSM-xxxPEG5H.27(II), TSM-xxxPEG5H.28(II), TSM-xxxPEG5H.29(II),
TSM-xxxPEG5H.40(II), TSM-xxxPEG5H.47(II), (xxx=275-300, in steps of 5).

TSM-xxxPEG15H, TSM-xxxPEG15H.05, TSM-xxxPEG15H.25, TSM-xxxPEG15H.07, TSM-xxxPEG15H.20,
TSM-xxxPEG15H.27, TSM-xxxPEG15H.28, TSM-xxxPEG15H.29, TSM-xxxPEG15H.40, TSM-xxxPEG15H.47,
(xxx=340-360, in steps of 5);

TSM-xxxPEG15H(II), TSM-xxxPEG15H.05(II), TSM-xxxPEG15H.25(II), TSM-xxxPEG15H.07(II),
TSM-xxxPEG15H.20(II), TSM-xxxPEG15H.27(II), TSM-xxxPEG15H.28(II), TSM-xxxPEG15H.29(II),
TSM-xxxPEG15H.40(II), TSM-xxxPEG15H.47(II) (xxx=340-400, in steps of 5).

TSM-xxxPEG6H, TSM-xxxPEG6H.05, TSM-xxxPEG6H.25, TSM-xxxPEG6H.07, TSM-xxxPEG6H.20,
TSM-xxxPEG6H.27, TSM-xxxPEG6H.28, TSM-xxxPEG6H.29, TSM-xxxPEG6H.40, TSM-xxxPEG6H.47,
(xxx=280-300, in steps of 5);

TSM-xxxPEG6H(II), TSM-xxxPEG6H.05(II), TSM-xxxPEG6H.25(II), TSM-xxxPEG6H.07(II),
TSM-xxxPEG6H.20(II), TSM-xxxPEG6H.27(II), TSM-xxxPEG6H.28(II), TSM-xxxPEG6H.29(II),
TSM-xxxPEG6H.40(II), TSM-xxxPEG6H.47(II) (xxx=280-330, in steps of 5).

TSM-xxxPEG14M(II), TSM-xxxPEG14M.05(II), TSM-xxxPEG14M.25(II), TSM-xxxPEG14M.07(II),
TSM-xxxPEG14M.20(II), TSM-xxxPEG14M.27(II), TSM-xxxPEG14M.28(II), TSM-xxxPEG14M.29(II),
TSM-xxxPEG14M.40(II), TSM-xxxPEG14M.47(II) (xxx=330-360, in steps of 5).

TSM-xxxPEG5M(II), TSM-xxxPEG5M.05(II), TSM-xxxPEG5M.25(II), TSM-xxxPEG5M.07(II),
TSM-xxxPEG5M.20(II), TSM-xxxPEG5M.27(II), TSM-xxxPEG5M.28(II), TSM-xxxPEG5M.29(II),
TSM-xxxPEG5M.40(II), TSM-xxxPEG5M.47(II),
(xxx=275-300, in steps of 5).

TSM-xxxPEG15M(II), TSM-xxxPEG15M.05(II), TSM-xxxPEG15M.25(II), TSM-xxxPEG15M.07(II),
TSM-xxxPEG15M.20(II), TSM-xxxPEG15M.27(II), TSM-xxxPEG15M.28(II), TSM-xxxPEG15M.29(II),
TSM-xxxPEG15M.40(II), TSM-xxxPEG15M.47(II) (xxx=340-405, in steps of 5).

TSM-xxxPEG6M(II), TSM-xxxPEG6M.05(II), TSM-xxxPEG6M.25(II), TSM-xxxPEG6M.07(II),
TSM-xxxPEG6M.20(II), TSM-xxxPEG6M.27(II), TSM-xxxPEG6M.28(II), TSM-xxxPEG6M.29(II),
TSM-xxxPEG6M.40(II), TSM-xxxPEG6M.47(II), (xxx=280-335, in steps of 5).

TSM-xxxPEG17MC(II), TSM-xxxPEG17MC.05(II), TSM-xxxPEG17MC.25(II), TSM-xxxPEG17MC.07(II),
TSM-xxxPEG17MC.20(II), TSM-xxxPEG17MC.27(II), TSM-xxxPEG17MC.28(II), TSM-xxxPEG17MC.29(II)
(xxx=410-445, in steps of 5).

TSM-xxxPEG8MC(II), TSM-xxxPEG8MC.05(II), TSM-xxxPEG8MC.25(II), TSM-xxxPEG8MC.07(II),
TSM-xxxPEG8MC.20(II), TSM-xxxPEG8MC.27(II), TSM-xxxPEG8MC.28(II), TSM-xxxPEG8MC.29(II)
(xxx=350-365, in steps of 5)

TSM-xxxPEG17M(II), TSM-xxxPEG17M.05(II), TSM-xxxPEG17M.25(II), TSM-xxxPEG17M.07(II),
TSM-xxxPEG17M.20(II), TSM-xxxPEG17M.27(II), TSM-xxxPEG17M.28(II), TSM-xxxPEG17M.29(II)
(xxx=410-445, in steps of 5).

Trina Solar Co. Ltd.

No 2 . Tianhe Road, Trina PV Industrial Park, New District,
Changzhou, Jiangsu, 213031, P.R. China

T: +86 519 8548 2008

F: +86 519 8517 6021

E: sales@trinasolar.com

TSM-xxxPEG8M(II), TSM-xxxPEG8M.05(II), TSM-xxxPEG8M.25(II), TSM-xxxPEG8M.07(II),
TSM-xxxPEG8M.20(II), TSM-xxxPEG8M.27(II), TSM-xxxPEG8M.28(II), TSM-xxxPEG8M.29(II),
(xxx=350-365, in steps of 5).

TSM-xxxPEG5ZV, TSM-xxxPEG5ZV.05, TSM-xxxPEG5ZV.07, TSM-xxxPEG5ZV.40, TSM-xxxPEG5ZV.47
(xxx=280-300, in steps of 5).

TSM-xxxDEG9R.20W, TSM-xxxDEG9R.28W, (xxx=395-435, in steps of 5).

TSM-xxxDEG9RC.27W, (xxx=395-435, in steps of 5);

TSM-xxxDEG18MC.20W(II), (xxx=460-510, in steps of 5);

TSM-xxxDEG19C.20W, (xxx=525-555, in steps of 5);

TSM-xxxDEG19RC.20W, (xxx=540-590, in steps of 5);

TSM-xxxDEG20C.20W, (xxx=570-605, in steps of 5);

TSM-xxxDEG21C.20W, (xxx=625-675, in steps of 5);

TSM-xxxDEG18C.20W, (xxx=520-555, in steps of 5);

Are in conformity with the following standards:

Directive 2014/35/EU, LVD

EN IEC 61730-1:2018

EN IEC 61730-2:2018

This Declaration of Conformity is issued for the listed above under the sole responsibility of Trina Solar. With reference to the Low Voltage Directive 2014/35/EU relating to the electrical equipment designed for use within certain voltage limits, it confirms that the list equipment complies with the principal protection requirements of the directive. If there is discrepancy between English version, Polish version and Spanish version, the English version should be prevailing.

Signature



Title: Senior Director of Quality Department

Name: Mengyu Zhao

Date: 19th, Dec, 2022

Issued Place: China

Zertifikat

Certificate



Zertifikat Nr. Certificate No. PV 50565114	Blatt Sheet 0027		
Ihr Zeichen Client Reference Z.Z.	Unser Zeichen Our Reference 01-MJM-CN22LSV8 006	Ausstellungsdatum Date of Issue 16.12.2022	Date of Issue (day/mo/yr)

Genehmigungsinhaber License Holder
Trina Solar Co., Ltd.
No. 2 TianHe Road, Trina PV
Industrial Park, New District
Changzhou City,
213031 Jiangsu
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



Geprüft nach Tested acc. to

- IEC 61215-1:2016
- IEC 61215-1-1:2016
- IEC 61215-2:2016
- IEC 61730-1:2016
- IEC 61730-2:2016
- EN 61215-1:2016
- EN 61215-2:2017
- EN 61215-1-1:2016
- EN IEC 61730-1:2018
- EN IEC 61730-2:2018

Zertifiziertes Produkt (Geräteidentifikation) Certified Product (Product Identification)

Lizenzentgelte - Einheit License Fee - Unit

PV Module

Same as Page 1-26

In addition:

Type Designations:

With 1/3 cut mono c-Si cells:

TSM-xxxDE09.05W, TSM-xxxDE09.08W

(xxx=375-415, in steps of 5, 120 cells)

TSM-xxxDE09R.W, TSM-xxxDE09R.05W, TSM-xxxDE09R.08W,

TSM-xxxDE09R.B5W, TSM-xxxDE09R.B8W, TSM-xxxDE09R.B0W

(xxx=395-440, in steps of 5, 144 cells)

TSM-xxxDE18M.W(II), TSM-xxxDE18M.08W(II)

(xxx=470-520, in steps of 5, 150 cells)

With half cut mono c-Si cells:

TSM-xxxDE19.W (xxx=500-560, in steps of 5, 110 cells)

TSM-xxxDE19R.W (xxx=550-605, in steps of 5, 132 cells)

TSM-xxxDE20.W (xxx=575-610, in steps of 5, 120 cells)

TSM-xxxDE21.W (xxx=635-675, in steps of 5, 132 cells)

With 6" poly c-Si cells:

TSM-xxxPE14A.W (xxx=305-360, in steps of 5, 72 cells)

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Dipl.-Ing. (FH) Tim Kirschner